



PRODUCT-DETAILS

SN32/BL/25M  
NYLON COVRD LIQ.PROOF NC32 25MT BLK



| General Information   |                                                                                                                                                                                                                                                                             |
|-----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | SN32/BL/25M                                                                                                                                                                                                                                                                 |
| Product ID            | 7TCA296130R0045                                                                                                                                                                                                                                                             |
| EAN                   | 5020963004209                                                                                                                                                                                                                                                               |
| Catalog Description   | NYLON COVRD LIQ.PROOF NC32 25MT BLK                                                                                                                                                                                                                                         |
| Long Description      | Liquid Resistant Abrasion and Solvent Resistant Covered, Medium Flexibility Conduit, 1 Inch Nominal Conduit Size 32mm, Outside Diameter 34.0mm, Inside Diameter 28.1mm, Static Bend Radius 60mm, Reel Length 25 Meters, PA (Nylon) Jacket with Galvanised Steel Core, Black |

| Additional Information |                                                             |
|------------------------|-------------------------------------------------------------|
| Application            | Indoors / Outdoors - Liquid, Abrasion and Solvent Resistant |
| Product Type           | Medium Flexibility Conduit                                  |

| Ordering |               |
|----------|---------------|
| EAN      | 5020963004209 |
| UPC      | 786210245188  |

|                            |      |
|----------------------------|------|
| Dimensions                 |      |
| Product Net Depth / Length | 25 m |

|                     |                                                     |
|---------------------|-----------------------------------------------------|
| Technical           |                                                     |
| Number of Batteries | 0                                                   |
| Color               | Black                                               |
| Material            | Galvanized Steel Core with Polyamide/Nylon 6 Jacket |

|               |                           |
|---------------|---------------------------|
| Environmental |                           |
| WEEE Category | Product Not in WEEE Scope |

|                                |                 |
|--------------------------------|-----------------|
| Container Information          |                 |
| Package Level 1 Units          | 1 piece         |
| Package Level 1 Height         | 12 in<br>305 mm |
| Package Level 1 Depth / Length | 16 in<br>406 mm |
| Package Level 1 Width          | 16 in<br>406 mm |

|                                   |                 |
|-----------------------------------|-----------------|
| Certificates and Declarations     |                 |
| Data Sheet, Technical Information | SN32/BL/25M     |
| Instructions and Manuals          | SN32/BL/25M     |
| Declaration of Conformity - CE    | 9AKK107492A9618 |
| RoHS Information                  | 9AKK107992A8994 |
| RoHS Date                         | 9AKK107992A8994 |
| REACH Declaration                 | 9AKK107992A8994 |

|                 |                                     |
|-----------------|-------------------------------------|
| Classifications |                                     |
| ETIM 8          | EC001179 - Protective metallic hose |
| UNSPSC          | 39131706                            |

|            |  |
|------------|--|
| Categories |  |
|------------|--|

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

