



---

**PRODUCT-DETAILS****SP20/20/C****SMOOTH ENTRY BUSH FOR SP20 + SN20**

---

**General Information**

Extended Product Type	SP20/20/C
Product ID	7TCA296020R0129
EAN	5020963001055
Catalog Description	SMOOTH ENTRY BUSH FOR SP20 + SN20
Long Description	1/2 Inch Nickel Plated Brass Smooth Entry Bushing, Hole Size 0.78 Inch

---

**Additional Information**

Application	For Locking Conduit Into Plain Holes in Enclosures
Product Type	Smooth Entry Bushing

---

**Ordering**

EAN	5020963001055
UPC	786210259277

---

**Technical**

---

Number of Batteries	0
Color	Metallic
Material	Brass
Size	1/2 Inch

---

---

**Environmental**

---

WEEE Category	Product Not in WEEE Scope
---------------	---------------------------

---

---

**Container Information**

---

Package Level 1 Units	10 piece
Package Level 1 Height	7.87 in 200 mm
Package Level 1 Depth / Length	1 in 25 mm
Package Level 1 Width	5.9 in 150 mm

---

---

**Certificates and Declarations**

---

Data Sheet, Technical Information	SP20/20/C
Instructions and Manuals	SP20/20/C
Declaration of Conformity - CE	9AKK107492A9618
RoHS Information	9AKK107992A8994
RoHS Date	9AKK107992A8994
<u>REACH Declaration</u>	<u>9AKK107992A8994</u>

---

---

**Classifications**

---

ETIM 8	EC001180 - Screw connection for protective metallic hose
<u>UNSPSC</u>	<u>39121312</u>

---

---

**Categories**

---

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

