



PRODUCT-DETAILS

SP25/25/C
SMOOTH ENTRY BUSH FOR SP25 + SN25



General Information	
Extended Product Type	SP25/25/C
Product ID	7TCA296020R0176
EAN	5020963003158
Catalog Description	SMOOTH ENTRY BUSH FOR SP25 + SN25
Long Description	Nickel Plated Brass Smooth Entry Bushing, Hole Size 1.00 Inch

Additional Information	
Application	For Locking Conduit Into Plain Holes in Enclosures
Product Type	Smooth Entry Bushing

Ordering	
EAN	5020963003158
UPC	786210249155

Technical	
Number of Batteries	0
Color	Metallic
Material	Brass
Size	3/4 Inch

Environmental	
WEEE Category	Product Not in WEEE Scope

Container Information	
Package Level 1 Units	10 piece
Package Level 1 Height	9.84 in 250 mm
Package Level 1 Depth / Length	1 in 25 mm
Package Level 1 Width	7.87 in 200 mm

Certificates and Declarations	
Data Sheet, Technical Information	SP25/25/C
Instructions and Manuals	SP25/25/C
Declaration of Conformity - CE	9AKK107492A9618
RoHS Information	9AKK107992A8994
RoHS Date	9AKK107992A8994
REACH Declaration	9AKK107992A8994

Classifications	
ETIM 8	EC001180 - Screw connection for protective metallic hose
UNSPSC	39121312

Categories	
Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems	

