



PRODUCT-DETAILS

SP32/BL/50M  
PVC COVRD.LIQ.PROOF NC32 50MT BLK



| General Information   |                                                                                                                                                                                                                                      |
|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | SP32/BL/50M                                                                                                                                                                                                                          |
| Product ID            | 7TCA296020R0232                                                                                                                                                                                                                      |
| EAN                   | 5020963046483                                                                                                                                                                                                                        |
| Catalog Description   | PVC COVRD.LIQ.PROOF NC32 50MT BLK                                                                                                                                                                                                    |
| Long Description      | Liquid Resistant, General Purpose, Highly Flexible Conduit, Nominal Conduit Size 32mm, Outside Diameter 34.0mm, Inside Diameter 28.1mm, Static Bend Radius 60mm, Reel Length 50 Meters, PVC Jacket with Galvanised Steel Core, Black |

| Additional Information |                                                                   |
|------------------------|-------------------------------------------------------------------|
| Application            | Indoors / Outdoors - Light Industrial, General Purpose, Buildings |
| Product Type           | High Flexibility Conduit                                          |

| Ordering |               |
|----------|---------------|
| EAN      | 5020963046483 |
| UPC      | 786210275710  |

| Dimensions                 |      |
|----------------------------|------|
| Product Net Depth / Length | 50 m |

| Technical           |                                       |
|---------------------|---------------------------------------|
| Number of Batteries | 0                                     |
| Color               | Black                                 |
| Material            | Galvanized Steel Core with PVC Jacket |

| Environmental |                           |
|---------------|---------------------------|
| WEEE Category | Product Not in WEEE Scope |

| Container Information          |                    |
|--------------------------------|--------------------|
| Package Level 1 Units          | 1 piece            |
| Package Level 1 Height         | 19.69 in<br>500 mm |
| Package Level 1 Depth / Length | 29.53 in<br>750 mm |
| Package Level 1 Width          | 29.53 in<br>750 mm |

| Certificates and Declarations     |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | SP32/BL/50M     |
| Instructions and Manuals          | SP32/BL/50M     |
| Declaration of Conformity - CE    | 9AKK107492A9618 |
| RoHS Information                  | 9AKK107992A8994 |
| RoHS Date                         | 9AKK107992A8994 |
| REACH Declaration                 | 9AKK107992A8994 |

| Classifications |                                     |
|-----------------|-------------------------------------|
| ETIM 8          | EC001179 - Protective metallic hose |
| UNSPSC          | 39131706                            |

---

## Categories

---

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

