



PRODUCT-DETAILS

SPL10/M12/M  
SWV.NPB M12 IP66..69/NC10 LIQTIGHT



| General Information   |                                                                                                                                            |
|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | SPL10/M12/M                                                                                                                                |
| Product ID            | 7TCA296030R0046                                                                                                                            |
| EAN                   | 5020963019661                                                                                                                              |
| Catalog Description   | SWV.NPB M12 IP66..69/NC10 LIQTIGHT                                                                                                         |
| Long Description      | Nickel Plated Brass Liquid Tight Straight Swivel Fitting with External Thread, Nominal Conduit Size 10 Millimeters, Metric Thread Size 12M |

| Additional Information |                                                                    |
|------------------------|--------------------------------------------------------------------|
| Application            | For Insertion into Threaded Entries or Knockout to Connect Conduit |
| Product Type           | Liquid Tight Non-Metallic Fitting                                  |

| Ordering |               |
|----------|---------------|
| EAN      | 5020963019661 |
| UPC      | 786210245744  |

| Technical           |          |
|---------------------|----------|
| Number of Batteries | 0        |
| Color               | Metallic |
| Material            | Brass    |
| Size                | 1/4 Inch |

| Environmental |                           |
|---------------|---------------------------|
| WEEE Category | Product Not in WEEE Scope |

| Container Information          |                   |
|--------------------------------|-------------------|
| Package Level 1 Units          | 10 piece          |
| Package Level 1 Height         | 7.87 in<br>200 mm |
| Package Level 1 Depth / Length | 1 in<br>25 mm     |
| Package Level 1 Width          | 5.9 in<br>150 mm  |

| Certificates and Declarations     |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 9AKK107492A2426 |
| Instructions and Manuals          | SPL10/M12/M     |
| Declaration of Conformity - CE    | 9AKK107492A9618 |
| RoHS Information                  | 9AKK107992A8994 |
| RoHS Date                         | 9AKK107992A8994 |
| REACH Declaration                 | 9AKK107992A8994 |

| Classifications |                                                          |
|-----------------|----------------------------------------------------------|
| ETIM 8          | EC001180 - Screw connection for protective metallic hose |
| UNSPSC          | 39121311                                                 |

| Categories                                                                                                                                    |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------|--|
| Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems |  |

