



PRODUCT-DETAILS

SPL12/PG9/M
SWV.NPB PG9 IP66..69/NC12 LIQTIGHT



General Information	
Extended Product Type	SPL12/PG9/M
Product ID	7TCA296030R0068
EAN	5020963006104
Catalog Description	SWV.NPB PG9 IP66..69/NC12 LIQTIGHT
Long Description	Nickel Plated Brass Liquid Tight Straight Swivel Fitting with External Thread, Nominal Conduit Size 12 Millimeters, PG Thread Size PG09

Additional Information	
Application	For Insertion into Threaded Entries or Knockout to Connect Conduit
Product Type	Liquid Tight Non-Metallic Fitting

Ordering	
EAN	5020963006104
UPC	786210245812

Technical

Number of Batteries	0
Color	Metallic
Material	Brass
Size	5/16 Inch

Environmental

WEEE Category	Product Not in WEEE Scope
---------------	---------------------------

Container Information

Package Level 1 Units	10 piece
Package Level 1 Height	7.87 in 200 mm
Package Level 1 Depth / Length	1 in 25 mm
Package Level 1 Width	5.9 in 150 mm

Certificates and Declarations

Data Sheet, Technical Information	9AKK107492A2426
Instructions and Manuals	SPL12/PG9/M
Declaration of Conformity - CE	9AKK107492A9618
RoHS Information	9AKK107992A8994
RoHS Date	9AKK107992A8994
REACH Declaration	9AKK107992A8994

Classifications

ETIM 8	EC001180 - Screw connection for protective metallic hose
UNSPSC	39121311

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

