



PRODUCT-DETAILS

SPL16/050/M
SWV.NPB NPT050 IP66..69/NC16 LQTIGH



General Information	
Extended Product Type	SPL16/050/M
Product ID	7TCA296030R0073
EAN	5020963053788
Catalog Description	SWV.NPB NPT050 IP66..69/NC16 LQTIGH
Long Description	3/8 Inch Nickel Plated Brass Liquid Tight Straight Swivel Fitting with External Thread, NPT Thread Size 1/2

Additional Information	
Application	For Insertion into Threaded Entries or Knockout to Connect Conduit
Product Type	Liquid Tight Non-Metallic Fitting

Ordering	
EAN	5020963053788
UPC	786210274942

Technical	
Number of Batteries	0
Color	Metallic
Material	Brass
Size	3/8 Inch

Environmental	
WEEE Category	Product Not in WEEE Scope

Container Information	
Package Level 1 Units	10 piece
Package Level 1 Height	7.87 in 200 mm
Package Level 1 Depth / Length	1 in 25 mm
Package Level 1 Width	5.9 in 150 mm

Certificates and Declarations	
Data Sheet, Technical Information	SPL16/050/M
Instructions and Manuals	SPL16/050/M
Declaration of Conformity - CE	9AKK107492A9618
RoHS Information	9AKK107992A8994
RoHS Date	9AKK107992A8994
REACH Declaration	9AKK107992A8994

Classifications	
ETIM 8	EC001180 - Screw connection for protective metallic hose
UNSPSC	39121311

Categories	
Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems	

