



PRODUCT-DETAILS

SPL20/M20/B
SWV.NPB M20 IP67 / NC20 LIQ.TIGHT



General Information	
Extended Product Type	SPL20/M20/B
Product ID	7TCA296030R0158
EAN	5020963000119
Catalog Description	SWV.NPB M20 IP67 / NC20 LIQ.TIGHT
Long Description	Nickel Plated Brass Liquid Tight Straight Fitting with Swivel External Thread, Nominal Conduit Size 20 Millimeters, Metric Thread Size M20

Additional Information	
Application	For Insertion into Threaded Entries or Knockout to Connect Conduit
Product Type	Liquid Tight Non-Metallic Fitting

Ordering	
EAN	5020963000119
UPC	786210246796

Technical	
Number of Batteries	0
Color	Metallic
Material	Brass
Size	1/2 Inch

Environmental	
WEEE Category	Product Not in WEEE Scope

Container Information	
Package Level 1 Units	10 piece
Package Level 1 Height	9.84 in 250 mm
Package Level 1 Depth / Length	1 in 25 mm
Package Level 1 Width	7.87 in 200 mm

Certificates and Declarations	
Data Sheet, Technical Information	SPL20/M20/B
Instructions and Manuals	SPL20/M20/B
Declaration of Conformity - CE	9AKK107492A9618
RoHS Information	9AKK107992A8994
RoHS Date	9AKK107992A8994
REACH Declaration	9AKK107992A8994

Classifications	
ETIM 8	EC001180 - Screw connection for protective metallic hose
UNSPSC	39121311

Categories	
Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems	

