



PRODUCT-DETAILS

SPL20/M20/C90**SWV.NPB M20 90D IP69/NC20 LQTIGH****General Information**

Extended Product Type	SPL20/M20/C90
Product ID	7TCA296030R0160
EAN	5020963019678
Catalog Description	SWV.NPB M20 90D IP69/NC20 LQTIGH
Long Description	90 Degree Conduit Fitting with Fixed External Male Threads, Conduit Size 20 Millimeters / 1/2 Inch, Thread Size M20, Nickel-Plated Brass

Additional Information

Application	For Insertion into Threaded Entries or Knockout to Connect Conduit
Product Type	Liquid Tight Non-Metallic Fitting

Ordering

EAN	5020963019678
UPC	786210246802

Technical

Number of Batteries	0
Color	Metallic
Material	Brass
Size	NC 20mm

Environmental

WEEE Category	Product Not in WEEE Scope
---------------	---------------------------

Container Information

Package Level 1 Units	10 piece
Package Level 1 Height	9.84 in 250 mm
Package Level 1 Depth / Length	1 in 25 mm
Package Level 1 Width	7.87 in 200 mm

Certificates and Declarations

Data Sheet, Technical Information	SPL20/M20/C90
Instructions and Manuals	SPL20/M20/C90
Declaration of Conformity - CE	9AKK107492A9618
RoHS Information	9AKK107992A8994
RoHS Date	9AKK107992A8994
REACH Declaration	9AKK107992A8994

Classifications

ETIM 8	EC001180 - Screw connection for protective metallic hose
UNSPSC	39121311

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

