



PRODUCT-DETAILS

SPL32/M32/C45
SWV.NPB M32 45D IP69/NC32 LQTIGH



Product image
not available

General Information	
Extended Product Type	SPL32/M32/C45
Product ID	7TCA296030R0384
EAN	5020963799891
Catalog Description	SWV.NPB M32 45D IP69/NC32 LQTIGH
Long Description	45 Degree Conduit Fitting with Fixed External Male Threads, Nominal Conduit Size 32 Millimeters, Thread Size M32, Nickel-Plated Brass

Additional Information	
Application	For Insertion into Threaded Entries or Knockout to Connect Conduit
Product Type	Conduit Fitting with Metric Threads

Ordering	
EAN	5020963799891
UPC	786210313177

Technical

Number of Batteries	0
Color	Metallic
Material	Brass
Size	NC 32mm

Environmental

WEEE Category	Product Not in WEEE Scope
---------------	---------------------------

Container Information

Package Level 1 Units	2 piece
Package Level 1 Height	7.87 in 200 mm
Package Level 1 Depth / Length	1 in 25 mm
Package Level 1 Width	5.9 in 150 mm

Certificates and Declarations

Data Sheet, Technical Information	SPL32/M32/C45
Instructions and Manuals	SPL32/M32/C45
Declaration of Conformity - CE	9AKK107492A9618
RoHS Information	9AKK107992A8994
RoHS Date	9AKK107992A8994
REACH Declaration	9AKK107992A8994

Classifications

ETIM 8	EC001180 - Screw connection for protective metallic hose
UNSPSC	39121311

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems



Product image
not available