



PRODUCT-DETAILS

SPL32/U/M
SWV.NPB COUPLER IP66.69/NC32 LQTIGH



General Information	
Extended Product Type	SPL32/U/M
Product ID	7TCA296030R0266
EAN	5020963780141
Catalog Description	SWV.NPB COUPLER IP66.69/NC32 LQTIGH
Long Description	Liquidtight Conduit Coupler, Nominal Conduit Size 32 Millimeters / 1 Inch, Bore 24.0 Millimeters, Nickel Plated Brass with Co-Polyester Seals

Additional Information	
Product Type	Liquidtight Conduit Coupler

Ordering	
EAN	5020963780141
UPC	786210275161

Technical	
Number of Batteries	0
Color	Metallic
Material	Nickel Plated Brass with Co-Polyeseter Seals

Environmental	
WEEE Category	Product Not in WEEE Scope

Container Information	
Package Level 1 Units	2 piece
Package Level 1 Height	7.87 in 200 mm
Package Level 1 Depth / Length	1 in 25 mm
Package Level 1 Width	5.9 in 150 mm

Certificates and Declarations	
Data Sheet, Technical Information	SPL32/U/M
Instructions and Manuals	SPL32/U/M
Declaration of Conformity - CE	9AKK107492A9618
RoHS Information	9AKK107992A8994
RoHS Date	9AKK107992A8994
REACH Declaration	9AKK107992A8994

Classifications	
ETIM 8	EC001180 - Screw connection for protective metallic hose
UNSPSC	39131707

Categories	
Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems	

