



PRODUCT-DETAILS

SPL40/PG36/M

SWV.NPB PG36 IP66..69/NC40 LIQTIGHT



General Information	
Extended Product Type	SPL40/PG36/M
Product ID	7TCA296030R0287
EAN	5020963014697
Catalog Description	SWV.NPB PG36 IP66..69/NC40 LIQTIGHT
Long Description	1-1/4 Inch Nickel Plated Brass Liquid Tight Straight Swivel Fitting with External Thread, PG Thread Size PG36

Additional Information	
Application	For Insertion into Threaded Entries or Knockout to Connect Conduit
Product Type	Liquid Tight Non-Metallic Fitting

Ordering	
EAN	5020963014697
UPC	786210247212

Technical

Number of Batteries	0
Color	Metallic
Material	Brass
Size	1-1/4 Inch

Environmental

WEEE Category	Product Not in WEEE Scope
---------------	---------------------------

Container Information

Package Level 1 Units	1 piece
Package Level 1 Height	7.87 in 200 mm
Package Level 1 Depth / Length	1 in 25 mm
Package Level 1 Width	5.9 in 150 mm

Certificates and Declarations

Data Sheet, Technical Information	9AKK107492A2426
Instructions and Manuals	SPL40/PG36/M
Declaration of Conformity - CE	9AKK107492A9618
RoHS Information	9AKK107992A8994
RoHS Date	9AKK107992A8994
REACH Declaration	9AKK107992A8994

Classifications

ETIM 8	EC001180 - Screw connection for protective metallic hose
UNSPSC	39121311

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

