




---

 PRODUCT-DETAILS

# SPL50/PG42/M

## SWV.NPB PG42 IP66..69/NC50 LIQTIGHT




---

**General Information**

Extended Product Type	SPL50/PG42/M
Product ID	7TCA296030R0308
EAN	5020963052422
Catalog Description	SWV.NPB PG42 IP66..69/NC50 LIQTIGHT
Long Description	1-1/2 Inch Nickel Plated Brass Liquid Tight Straight Swivel Fitting with External Thread, PG Thread Size PG42

---

**Additional Information**

Application	For Insertion into Threaded Entries or Knockout to Connect Conduit
Product Type	Liquid Tight Non-Metallic Fitting

---

**Ordering**

EAN	5020963052422
UPC	786210275246

---

## Technical

---

Number of Batteries	0
Color	Metallic
Material	Brass
Size	1-1/2 Inch

---



---

## Environmental

---

WEEE Category	Product Not in WEEE Scope
---------------	---------------------------

---



---

## Container Information

---

Package Level 1 Units	1 piece
Package Level 1 Height	7.87 in 200 mm
Package Level 1 Depth / Length	1 in 25 mm
Package Level 1 Width	5.9 in 150 mm

---



---

## Certificates and Declarations

---

Data Sheet, Technical Information	9AKK107492A2426
Instructions and Manuals	SPL50/PG42/M
Declaration of Conformity - CE	9AKK107492A9618
RoHS Information	9AKK107992A8994
RoHS Date	9AKK107992A8994
REACH Declaration	9AKK107992A8994

---



---

## Classifications

---

ETIM 8	EC001180 - Screw connection for protective metallic hose
UNSPSC	39121311

---



---

## Categories

---

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

