



PRODUCT-DETAILS

SPLB25/M25/B
SWV.NPB M25 / NC25 BRDD LIQTIGHT



General Information	
Extended Product Type	SPLB25/M25/B
Product ID	7TCA296100R0159
EAN	5020963007507
Catalog Description	SWV.NPB M25 / NC25 BRDD LIQTIGHT
Long Description	3/4 Inch Nickel Plated Brass Straight Fitting with Swivel External Thread, IP68 Rating, Metric Thread Size M25

Additional Information	
Application	For Insertion into Threaded Entries or Knockout to Connect Conduit
Product Type	Conduit Fitting with Metric Threads

Ordering	
EAN	5020963007507
UPC	786210245454

Technical	
Number of Batteries	0
Color	Metallic
Material	Brass
Size	3/4 Inch

Environmental	
WEEE Category	Product Not in WEEE Scope

Container Information	
Package Level 1 Units	10 piece
Package Level 1 Height	11.81 in 300 mm
Package Level 1 Depth / Length	1 in 25 mm
Package Level 1 Width	7.87 in 200 mm

Certificates and Declarations	
Data Sheet, Technical Information	SPLB25/M25/B
Instructions and Manuals	SPLB25/M25/B
Declaration of Conformity - CE	9AKK107492A9618
RoHS Information	9AKK107992A8994
RoHS Date	9AKK107992A8994
REACH Declaration	9AKK107992A8994

Classifications	
ETIM 8	EC001180 - Screw connection for protective metallic hose
UNSPSC	39121311

Categories	
Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems	

