



PRODUCT-DETAILS

SPUL63/10M  
UL-CSA LIST LIQ.TIGHT NC63 10MT GRY



| General Information   |                                                                                                                                                                                                                                                                                       |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | SPUL63/10M                                                                                                                                                                                                                                                                            |
| Product ID            | 7TCA296030R0376                                                                                                                                                                                                                                                                       |
| EAN                   | 5020963009082                                                                                                                                                                                                                                                                         |
| Catalog Description   | UL-CSA LIST LIQ.TIGHT NC63 10MT GRY                                                                                                                                                                                                                                                   |
| Long Description      | Liquid Tight, Medium Flexibility, Covered Steel Conduit, 2 Inch, Nominal Conduit Size 63mm, Outside Diameter 60.0mm, Inside Diameter 51.6mm, Static Bend Radius 355mm, Reel Length 10 Meters, UL Listed and CSA Approved, PVC Covered Galvanised Steel Core with Copper Packing, Grey |

| Additional Information |                                          |
|------------------------|------------------------------------------|
| Application            | Flexible Protection Systems              |
| Product Type           | Liquid Tight, Medium Flexibility Conduit |

| Ordering |               |
|----------|---------------|
| EAN      | 5020963009082 |
| UPC      | 786210275345  |

|                            |      |
|----------------------------|------|
| <b>Dimensions</b>          |      |
| Product Net Depth / Length | 10 m |

|                     |                                                         |
|---------------------|---------------------------------------------------------|
| <b>Technical</b>    |                                                         |
| Number of Batteries | 0                                                       |
| Color               | Gray                                                    |
| Material            | Galvanized Steel Core with PVC Cover and Copper Packing |

|                      |                           |
|----------------------|---------------------------|
| <b>Environmental</b> |                           |
| WEEE Category        | Product Not in WEEE Scope |

|                                |                    |
|--------------------------------|--------------------|
| <b>Container Information</b>   |                    |
| Package Level 1 Units          | 1 piece            |
| Package Level 1 Height         | 0.01 in<br>0.25 mm |
| Package Level 1 Depth / Length | 0.01 in<br>0.25 mm |
| Package Level 1 Width          | 0.01 in<br>0.25 mm |

|                                      |                 |
|--------------------------------------|-----------------|
| <b>Certificates and Declarations</b> |                 |
| Data Sheet, Technical Information    | SPUL63/10M      |
| Instructions and Manuals             | SPUL63/10M      |
| Declaration of Conformity - CE       | 9AKK107492A9618 |
| RoHS Information                     | 9AKK107992A8994 |
| RoHS Date                            | 9AKK107992A8994 |
| REACH Declaration                    | 9AKK107992A8994 |

|                        |                                     |
|------------------------|-------------------------------------|
| <b>Classifications</b> |                                     |
| ETIM 8                 | EC001179 - Protective metallic hose |
| UNSPSC                 | 39131706                            |

---

**Categories**

---

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

