

PRODUCT-DETAILS

## **SR2-SRN6420K**

## SR2-SRN6420K Metallic enclosure SR2



| General Information   |  |
|-----------------------|--|
| Extended Product Type | SR2-SRN6420K   |
| Product ID            | SRN6420K   |
| EAN                   | 8015646753359  |
| Catalog Description   | SR2-SRN6420K Metallic enclosure SR2                          |
| Long Description      | Enclosure with blind door + back plate 600x400x200mm (HxWxD) |

| Technical                     |                  |
|-------------------------------|------------------|
| Suitable for Product<br>Class | SR2              |
| Number of Flange<br>Openings  | 2                |
| Number of Rows                | 3                |
| Cover Plate Type              | Door             |
| Enclosure Type NEMA           | Type3R           |
| Mounting Type                 | Surface mounting |
| Door Type                     | Single           |
| Surface Finishing             | Powder coating   |

SR2-SRN6420K 2/3

| Construction Material  | Galvanized steel      |
|------------------------|-----------------------|
| Door Surface Finishing | Opaque                |
| Housing Material       | Steel                 |
| RAL Number             | RAL 7035 - Light Grey |
| Color                  | Grey                  |

| Material Compliance                         |  |
|---|--|
| RoHS Information                            | 9AKK108468A2382  |
| RoHS Status                                 | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| RoHS Date                                   | 20221015   |
| Conflict Minerals Reporting Template (CMRT) | 9AKK108468A3363  |

| Environmental        |                    |
|----------------------|--------------------|
| Degree of Protection | IP65               |
| Protection Class     | Grounded (Class I) |
| Environmental        | 1STC804013D0203    |
| Information          |                    |

| Dimensions                             |   |
|--|---|
| Width in Number of<br>Modular Spacings | 14  |
| Product Net Width                      | 400 mm                                    |
| Product Net Height                     | 600 mm                                    |
| Product Net Depth /<br>Length          | 200 mm                                    |
| Product Net Weight                     | 13.5 kg                                   |
| Built-In Depth (t <sub>2</sub> )       | 132 mm                                    |
| Thickness                              | Cabinet Plate 1.2 mm<br>Door Plate 1.2 mm |

| Ordering                        |             |
|---------------------------------|-------------|
| Package Level 1 Units           | box 1 piece |
| Package Level 1 Gross<br>Weight | 14.000 kg   |

| Certificates and Declarations |                 |
|-------------------------------|-----------------|
| Declaration of                | 9AKK108468A2382 |
| Conformity - CE               |                 |

| Installation     |                |
|------------------|----------------|
| Instructions and | 1STM6041230001 |
| Manuals          |                |

SR2-SRN6420K 3/3

| Popular Downloads     |                 |
|-----------------------|-----------------|
| Data Sheet, Technical | 9AKK107991A8329 |
| Information           |                 |

| Classifications               |                           |
|-------------------------------|---------------------------|
| ETIM 8                        | EC000058 - Empty cabinet  |
| ETIM 9                        | EC000058 - Empty cabinet  |
| WEEE Category                 | Product Not in WEEE Scope |
| eClass                        | V11.0 : 27142408          |
| Object Classification<br>Code | U                         |

## Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Enclosures \rightarrow General\ Purpose\ Enclosures \rightarrow Metal\ Enclosures \rightarrow SR2$ 





