



PRODUCT-DETAILS

SRPE-10-0

SPIRAL WRAP UV BLK POLYETHYL 10MMOD



General Information	
Extended Product Type	SRPE-10-0
Product ID	7TCG054090R0216
EAN	5414363003885
Catalog Description	SPIRAL WRAP UV BLK POLYETHYL 10MMOD
Long Description	Spiral Wrap, Black Polyethylene for Temperatures up to 100 Degrees Celsius (212 F), Weather and Ultraviolet Resistant, Outer Diameter of 10mm (0.394 Inch), Pitch of 11.4mm (0.449 Inch), Nominal Thickness of 0.8mm (0.031 Inch), Minimum Bundle Diameter of 7.5mm (0.295 Inch), Maximum Bundle Diameter of 60mm (2.36 Inches), Length of 10m (32.81 Feet)

Ordering	
EAN	5414363003885
UPC	728494141725
Country of Origin	Thailand (TH)
Selling Unit of Measure	roll

Dimensions	
Product Net Depth / Length	32.8 ft 10 m

Container Information	
Package Level 1 Units	1 reel
Package Level 1 Width	10.2 in 259 mm
Package Level 1 Height	0.24 in 6 mm
Package Level 1 Depth / Length	10.2 in 259 mm
Package Level 2 Units	40 reel
Package Level 2 Width	16.73 in 425 mm
Package Level 2 Height	13.58 in 345 mm
Package Level 2 Depth / Length	16.73 in 425 mm

Additional Information	
Application	For Temperatures up to 100 Degrees Celsius (176 F)
Brand / Label	Catamount
Color	Black
Effective Date	20051206
Material	Polyethylene
Outside Diameter	0.39 in 10 mm
Pitch	0.45 in ; 11.4 mm
Product Name	PLASTIC CONDUIT
Product Type	Spiral Wrap
Temperature Range	-40 to 212 °F -40 to 100 °C
Wall Thickness	0.03 in 0.8 mm

Certificates and Declarations	
Data Sheet, Technical Information	SRPE-10-0

Classifications	
ETIM 6	EC002604 - Cable bundle hose
ETIM 7	EC002604 - Cable bundle hose
ETIM 8	EC002604 - Cable bundle hose
UNSPSC	39131604
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5395 >> Spiral wrapping

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

