



PRODUCT-DETAILS

STC40/10M  
STL T/C BR FLEX 10M REEL



| General Information    |                                                                                                                                                                                                                                       |
|------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type  | STC40/10M                                                                                                                                                                                                                             |
| Product ID             | 7TCA296100R0209                                                                                                                                                                                                                       |
| EAN                    | 5020963047251                                                                                                                                                                                                                         |
| Catalog Description    | STL T/C BR FLEX 10M REEL                                                                                                                                                                                                              |
| Long Description       | Low Fire Hazard, High Flexibility Conduit, 1-1/4 Inch, Nominal Conduit Size 40mm, Outside Diameter 43.6mm, Inside Diameter 37.7mm, Static Bend Radius 80mm, Reel Length 10 Meters. Galvanised Steel Core with Tinned Copper Overbraid |
| Additional Information |                                                                                                                                                                                                                                       |
| Application            | Galvanised Steel Core with Tinned Copper Overbraid                                                                                                                                                                                    |
| Product Type           | Low Fire Hazard Conduit                                                                                                                                                                                                               |
| Ordering               |                                                                                                                                                                                                                                       |
| EAN                    | 5020963047251                                                                                                                                                                                                                         |
| UPC                    | 786210260877                                                                                                                                                                                                                          |

|                            |      |
|----------------------------|------|
| Dimensions                 |      |
| Product Net Depth / Length | 10 m |

|                     |                                                    |
|---------------------|----------------------------------------------------|
| Technical           |                                                    |
| Number of Batteries | 0                                                  |
| Material            | Galvanized Steel Core with Tinned Copper Overbraid |

|               |                           |
|---------------|---------------------------|
| Environmental |                           |
| WEEE Category | Product Not in WEEE Scope |

|                                |                    |
|--------------------------------|--------------------|
| Container Information          |                    |
| Package Level 1 Units          | 1 piece            |
| Package Level 1 Height         | 9.37 in<br>238 mm  |
| Package Level 1 Depth / Length | 19.25 in<br>489 mm |
| Package Level 1 Width          | 19.25 in<br>489 mm |

|                                   |                 |
|-----------------------------------|-----------------|
| Certificates and Declarations     |                 |
| Data Sheet, Technical Information | STC40/10M       |
| Instructions and Manuals          | STC40/10M       |
| Declaration of Conformity - CE    | 9AKK107492A9618 |
| RoHS Information                  | 9AKK107992A8994 |
| RoHS Date                         | 9AKK107992A8994 |
| REACH Declaration                 | 9AKK107992A8994 |

|                 |                                     |
|-----------------|-------------------------------------|
| Classifications |                                     |
| ETIM 8          | EC001179 - Protective metallic hose |
| UNSPSC          | 39131706                            |

|            |  |
|------------|--|
| Categories |  |
|------------|--|

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

