SUWV-M253-UL 1/3



PRODUCT-DETAILS

SUWV-M253-UL FTNG UL 90D PA6 NW23 M25 IP68 GRY



SUWV-M253-UL
7TAA292460R0068
7630030277498
FTNG UL 90D PA6 NW23 M25 IP68 GRY
FIXPlus 90 Degree Grey Elbow, Material - Polyamide 6, Thread Type - Metric, Thread Size - M25x1.5, Conduit Size NW - 23

Additional Information

Application For Cable Protection Systems In a Wide Range of Applications
Product Type Elbows-90 Degree

Ordering	
EAN	7630030277498
UPC	786209971944

SUWV-M253-UL 2/3

Technical	
Number of Batteries	O
Material	Polyamide/Nylon 6
Environmental	
WEEE Category	Product Not in WEEE Scope
Container Information	
Package Level 1 Units	30 EA
Package Level 1 Height	0 mm 0 in
Package Level 1 Depth / Length	0 mm 0 in
Package Level 1 Width	0 mm 0 in
Contification and Declarations	
Certificates and Declarations Data Sheet, Technical Information	SUWV-M253-UL
Instructions and Manuals	SUWV-M253-UL
Declaration of Conformity - CE	9AKK107680A0674
Oleanifications	
Classifications	
UNSPSC	EC001176 - Screw connection for corrugated plastic hose 39131707

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

SUWV-M253-UL 3/3

