



PRODUCT-DETAILS

SVND-M508GT

COND FTNG STR M50 NW48 IP66 CSA GRY



| General Information   |                                                                                                                                                     |
|-----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | SVND-M508GT                                                                                                                                         |
| Product ID            | 7TAA292150R1057                                                                                                                                     |
| EAN                   | 7630030274510                                                                                                                                       |
| Catalog Description   | COND FTNG STR M50 NW48 IP66 CSA GRY                                                                                                                 |
| Long Description      | PMAFIX Straight Grey Connector with Universal Safety Clip, Material - Polyamide 6, Thread Type - Metric, Thread Size -M50x1.5, Conduit Size NW - 48 |

| Additional Information |                                                              |
|------------------------|--------------------------------------------------------------|
| Application            | For Cable Protection Systems In a Wide Range of Applications |
| Product Type           | Connectors-Straight                                          |

| Ordering |               |
|----------|---------------|
| EAN      | 7630030274510 |
| UPC      | 786209973597  |

|                     |                   |
|---------------------|-------------------|
| Technical           |                   |
| Number of Batteries | 0                 |
| Color               | Gray              |
| Material            | Polyamide 6       |
| Size                | NW48 : M50 Thread |

|               |                           |
|---------------|---------------------------|
| Environmental |                           |
| WEEE Category | Product Not in WEEE Scope |

|                                |              |
|--------------------------------|--------------|
| Container Information          |              |
| Package Level 1 Units          | 10 EA        |
| Package Level 1 Height         | 0 mm<br>0 in |
| Package Level 1 Depth / Length | 0 mm<br>0 in |
| Package Level 1 Width          | 0 mm<br>0 in |

|                                   |                 |
|-----------------------------------|-----------------|
| Certificates and Declarations     |                 |
| Data Sheet, Technical Information | 9AKK107046A1293 |
| Instructions and Manuals          | SVND-M508GT     |
| Declaration of Conformity - CE    | 9AKK107680A0674 |

|                 |                                                         |
|-----------------|---------------------------------------------------------|
| Classifications |                                                         |
| ETIM 8          | EC001176 - Screw connection for corrugated plastic hose |
| UNSPSC          | 39121311                                                |

|                                                                                                                                               |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------|--|
| Categories                                                                                                                                    |  |
| Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems |  |

