SVNV-M120 1/3



PRODUCT-DETAILS

SVNV-M120

COND FTNG STR M12 NW10 IP68 CSA GRY



| General Information | |
|-----------------------|--|
| Extended Product Type | SVNV-M120 |
| Product ID | 7TAA292150R1130 |
| EAN | 7630030273759 |
| Catalog Description | COND FTNG STR M12 NW10 IP68 CSA GRY |
| Long Description | PMAFIX Straight Grey Connector, Material - Polyamide 6, Thread Size M12x1.5, Conduit Size NW - 10 |

| Additional Information | |
|------------------------|--|
| Application | For Cable Protection Systems In a Wide Range of Applications |
| Product Type | Connectors-Straight |

| Ordering | |
|----------|---------------|
| EAN | 7630030273759 |
| UPC | 786209974310 |

SVNV-M120 2/3

| Technical | |
|---------------------|-------------------|
| Number of Batteries | 0 |
| Color | Gray |
| Material | Polyamide 6 |
| Size | NW10 ; M12 Thread |

Environmental

| WEEE Category | Product Not in WEEE Scope |
|---------------|---------------------------|
|---------------|---------------------------|

| Container Information | |
|--------------------------------|--------------|
| Package Level 1 Units | 50 EA |
| Package Level 1 Height | 0 mm 0 in |
| Package Level 1 Depth / Length | 0 mm 0 in |
| Package Level 1 Width | 0 mm 0 in |

| Certificates and Declarations | |
|--------------------------------------|-----------------|
| Data Sheet, Technical Information | SVNV-M120 |
| Instructions and Manuals | SVNV-M120 |
| Declaration of Conformity - CE | 9AKK107680A0674 |

| Classifications | |
|-----------------|---|
| ETIM 8 | EC001176 - Screw connection for corrugated plastic hose |
| UNSPSC | 39121311 |

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Cable\ Protection,\ Explosion\ Proof\ and\ Lighting \rightarrow Flexible\ Cable\ Protection\ Systems$

SVNV-M120 3/3

