



PRODUCT-DETAILS

TC804-TB
MINI MTG BASE .4X.3IN NAT NYLON SCR



General Information	
Extended Product Type	TC804-TB
Product ID	7TAG009880R0008
EAN	5414363059196
Catalog Description	MINI MTG BASE .4X.3IN NAT NYLON SCR
Long Description	Miniature Mounting Base, Natural Nylon 6.6 for Temperatures up to 85 Degrees Celsius (185 F), Length of 10.16mm (0.40 Inches), Width of 7.92mm (0.312 Inches), Thickness of 2.4mm (0.094 Inches), #2 Screw Mounting Method
Ordering	
EAN	5414363059196
UPC	786210830612
Country of Origin	United States (US)
Selling Unit of Measure	each
Container Information	
Package Level 1 Units	1000 EA
Package Level 1 Width	0 mm

	0 in
Package Level 1 Height	0 mm
	0 in
Package Level 1 Depth / Length	0 mm
	0 in
Package Level 2 Units	10000 EA
Package Level 2 Width	165.1 mm
	6.5 in
Package Level 2 Height	116.84 mm
	4.6 in
Package Level 2 Depth / Length	317.5 mm
	12.5 in

Environmental

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
-------------	------------------------------------------------------------------------

Additional Information

Brand / Label	Ty-Rap
Color	Natural
Effective Date	19671201
Material	Nylon/Polyamide 6.6
Mounting Type	Screw
Process Temperature Rating	-40 to +185 °F
Product Name	Other /note: See 9903.88.66 and 9903.88. 67.
Product Type	Mounting Base
RoHS Date	9AKK107992A8806
Special Functions	These miniature mounting bases are ideal for high-density packaging. Threaded insert permits screw to come from outside of mounting surface.

Certificates and Declarations

Data Sheet, Technical Information	TC804-TB
Declaration of Conformity - CE	9AKK107492A9840

Classifications

ETIM 6	EC000449 - Mounting base and -element for cable ties
ETIM 7	EC000449 - Mounting base and -element for cable ties
ETIM 8	EC000449 - Mounting base and -element for cable ties
UNSPSC	39121717
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5065 >> Cable tie mounts

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

