TY100-18-C 1/3



PRODUCT-DETAILS

TY100-18-C 80N NAT CABLE TIE 100MM DIS



General Information	
Extended Product Type	TY100-18-C
Product ID	7TCG054360R0420
EAN	5415022524130
Catalog Description	80N NAT CABLE TIE 100MM DIS
Long Description	Cable Tie, Natural Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius for Indoor Applications, UL/IEC 62275 Type 2/21 Rated for AH-2 Plenum, Length of 100mm, Width of 2.5mm, Thickness of 1mm, Tensile Strength Rating of 80 Newtons, 100 Pack
Ordering	
EAN	5415022524130
UPC	786210361727
Country of Origin	China (CN)
Selling Unit of Measure	each
Dimensions	
Product Net Depth / Length	4 ir 100 mm

TY100-18-C 2/3

Container Information	
Package Level 1 Units	100 piece
Package Level 1 Width	3.74 ir
	95 mm
Package Level 1 Height	0.39 ir 10 mm
Package Level 1 Depth /	7.48 ir
Length	190 mm
Package Level 2 Units	10000 piece
Package Level 2 Width	9.45 ir 240 mm
Package Level 2 Height	5.12 ir 130 mm
Package Level 2 Depth /	15.75 in
Length	400 mm
Additional Information	
Brand / Label Bundle Diameter	
Bullule Diameter	0.807 in
Color	Natura
Effective Date	20220125
Lock Type	Plastic Paw
Product Main Type	CABLE TIES AND ACCESSORIES
Product Name	PLASTIC CABLE TIE
Product Type	General Purpose
Special Functions	"The integrally formed polyamide pawl combines low insertion and high locking strength. The low profile head significantly reduces the potential for snagging during installation. Quick and easy pull through increases productivity, reduces operator fatigue. Tail with finger grip design that helps operator grasp and pull ties snugly. Sure grip tab keeps the tail from popping out while being treated, then holds it it securely for final tightening by hand or too!
Standards	UL E49405
Tensile Strength	80 N 18 Ib
Thickness	1 mm 0.039 in
Certificates and Declarations	
Data Sheet, Technical	TDS000751
Information	
Classifications	
ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

TY100-18-C 3/3

Categories

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Installation\ Products\ \rightarrow\ Wire\ Management\ and\ Connectivity\ \rightarrow\ Cable\ Ties$

