TY1000-175X-L 1/3



PRODUCT-DETAILS

## **TY1000-175X-L** 800N UV CABLE TIE 1020MM DIS



General Information	
Extended Product Type	TY1000-175X-L
Product ID	7TCG054520R0007
EAN	5415022524550
Catalog Description	800N UV CABLE TIE 1020MM DIS
Long Description	"Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 115 Degrees Celsius, Weather and Ultraviolet Resistant for Indoor and Outdoor Applications, UL/IEC 62275  Type 2/21S Rated for AH-2 Plenum and as a Flexible Cable and Conduit Support, Length of 1020mm, Width of 8.8mm, Thickness of 1.8mm, Tensile Strength Rating of 800 Newtons, 50 Pack"

Ordering		
EAN	5415022524550	
UPC	728494151083	
Country of Origin	China (CN)	
Selling Unit of Measure	each	

TY1000-175X-L 2/3

Container Information	
Package Level 1 Units	50 piece
Package Level 1 Width	5.51 in 140 mm
Package Level 1 Height	1.57 in 40 mm
Package Level 1 Depth / Length	45.67 in 1160 mm
Package Level 2 Units	500 piece
Package Level 2 Width	7.09 in 180 mm
Package Level 2 Height	5.51 in 140 mm
Package Level 2 Depth / Length	44.88 in 1140 mm

Additional Information	
Brand / Label	Ty-Fast
Bundle Diameter	295 mm
	11.614 in
Color	Black
Effective Date	20220125
Lock Type	Plastic Pawl
Product Main Type	CABLE TIES AND ACCESSORIES
Product Name	PLASTIC CABLE TIE
Product Type	Heavy Duty
Special Functions	"The integrally formed polyamide pawl combines low insertion and high locking strength. The low profile head significantly reduces the potential for snagging during installation. Quick and easy pull through increases productivity, reduces operator fatigue. Tail with finger grip design that helps operator grasp and pull ties snugly. Sure grip tab keeps the tail from popping out while being treated, then holds it it securely for final tightening by hand or tool"
Standards	UL E49405
Tensile Strength	800 N 180 lb
Thickness	1.8 mm 0.071 in

## **Certificates and Declarations**

Data Sheet, Technical	TDS000751
Information	

Classifications		
ETIM 6	EC000046 - Cable tie	
ETIM 7	EC000046 - Cable tie	
ETIM 8	EC000046 - Cable tie	
UNSPSC	39121703	
IDEA Granular Category Code (IGCC)	5034 >> Cable ties	

TY1000-175X-L 3/3

## **Categories**

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Wire\ Management\ and\ Connectivity \rightarrow Cable\ Ties$ 

