TY1050-245X-L 1/3



PRODUCT-DETAILS

TY1050-245X-L 1200N UV CABLE TIE 1030MM



General Information	
Extended Product Type	TY1050-245X-L
Product ID	7TCG054510R0016
EAN	5415022524505
Catalog Description	1200N UV CABLE TIE 1030MM
Long Description	"Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 115 Degrees Celsius, Weather and Ultraviolet Resistant for Indoor and Outdoor Applications, UL/IEC 62275 Type 2/21S Rated for AH-2 Plenum and as a Flexible Cable and Conduit Support, Length of 1030mm, Width of 12.2mm, Thickness of 1.9mm, Tensile Strength Rating of 1200 Newtons, 50 Pack"

Ordering	
EAN	5415022524505
UPC	786210362502
Country of Origin	China (CN)
Selling Unit of Measure	each

Container Information

Package Level 1 Units 50 piece

TY1050-245X-L 2/3

Package Level 1 Width	7.09 in 180 mm
Package Level 1 Height	1.97 in 50 mm
Package Level 1 Depth / Length	45.67 in 1160 mm
Package Level 2 Units	400 piece
Package Level 2 Width	11.02 in 280 mm
Package Level 2 Height	4.72 in 120 mm
Package Level 2 Depth / Length	45.28 in 1150 mm

Brand / Label	Ty-Fasi
Bundle Diameter	323 mm 12.716 in
Color	Black
Effective Date	20220125
Lock Type	Plastic Paw
Product Main Type	CABLE TIES AND ACCESSORIES
Product Name	PLASTIC CABLE TIE
Product Type	Extra Heavy Duty
Special Functions	"The integrally formed polyamide pawl combines low insertion and high locking strength. The low profile head significantly reduces the potential for snagging during installation. Quick and easy pull through increases productivity, reduces operator fatigue. Tail with finger grip design that helps operator grasp and pull ties snugly. Sure grip tab keeps the tail from popping out while being treated, then holds it it securely for final tightening by hand or tool"
Standards	UL E49405
Tensile Strength	1200 N 270 և
Thickness	1.9 mm 0.075 in

Certificates and Declarations

Data Sheet, Technical TDS000751 Information

Classifications	
ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

TY1050-245X-L 3/3

Categories

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Installation\ Products\ \rightarrow\ Wire\ Management\ and\ Connectivity\ \rightarrow\ Cable\ Ties$

