

PRODUCT-DETAILS

TY1200-175-L 800N NAT CABLE TIE 1220MM DIS



General Information	
Extended Product Type	TY1200-175-L
Product ID	7TCG054520R0006
EAN	5415022524536
Catalog Description	800N NAT CABLE TIE 1220MM DIS
Long Description	"Cable Tie, Natural Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius for Indoor Applications, UL/IEC 62275 Type 2/21 Rated for AH-2 Plenum, Length of 1220mm, Width of 8.8mm, Thickness of 1.8mm, Tensile Strength Rating of 800 Newtons, 50 Pack"

Ordering	
EAN	5415022524536
UPC	728494151052
Country of Origin	China (CN)
Selling Unit of Measure	each

Container Information	
Package Level 1 Units	50 piece
Package Level 1 Width	5.51 in

TY1200-175-L 2/3

	140 mm
Package Level 1 Height	1.57 in 40 mm
Package Level 1 Depth / Length	53.54 in 1360 mm
Package Level 2 Units	500 piece
Package Level 2 Width	7.87 in 200 mm
Package Level 2 Height	5.12 in 130 mm
Package Level 2 Depth / Length	53.54 in 1360 mm

Additional Information	
Brand / Label	Ty-Fast
Bundle Diameter	375.5 mm 14.783 in
Color	Natural
Effective Date	20220125
Lock Type	Plastic Pawl
Product Main Type	CABLE TIES AND ACCESSORIES
Product Name	PLASTIC CABLE TIE
Product Type	Heavy Duty
Special Functions	"The integrally formed polyamide pawl combines low insertion and high locking strength. The low profile head significantly reduces the potential for snagging during installation. Quick and easy pull through increases productivity, reduces operator fatigue. Tail with finger grip design that helps operator grasp and pull ties snugly. Sure grip tab keeps the tail from popping out while being treated, then holds it it securely for final tightening by hand or tool"
Standards	UL E49405
Tensile Strength	800 N 180 lb
Thickness	1.8 mm 0.071 in

Certificates and Declarations

Data Sheet, Technical TDS000751
Information TDS000751

Classifications	
ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

TY1200-175-L 3/3

Categories

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Installation\ Products\ \rightarrow\ Wire\ Management\ and\ Connectivity\ \rightarrow\ Cable\ Ties$

