TY1435M 1/3



PRODUCT-DETAILS

## **TY1435M**

## CABLE TIE 50LB 8IN NAT NYL MTG HOLE



General Information	
Extended Product Type	TY1435M
Product ID	7TAG009520R0045
EAN	5414363060710
Catalog Description	CABLE TIE 50LB 8IN NAT NYL MTG HOLE
Long Description	Integrated Mounting Hole Cable Tie, Natural Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F) for Indoor Applications, UL/EN/CSA62275 Type 2/21S Rated for AH-2 Plenum and as a Flexible Cable and Conduit Support, Length of 198mm (7.8 Inches), Width of Width of 4.6mm (0.18 Inch), Thickness of 1mm (0.04 Inches), Tensile Strength Rating of 220 Newtons (50 Pounds), 1/4 Inch Screw for Mounting

Ordering	
EAN	5414363060710
UPC	786210830766
Country of Origin	United States (US)
Selling Unit of Measure	each

2/3 TY1435M

Dimensions	
Product Net Width	0.18 in
	4.6 mm
Product Net Depth /	7.8 in
Length	198 mm

Container Information	
Package Level 1 Units	1000 EA
Package Level 1 Width	355.6 mm 14 in
Package Level 1 Height	0 mm 0 in
Package Level 1 Depth / Length	381 mm 15 in
Package Level 2 Units	5000 EA
Package Level 2 Width	237.998 mm 9.37 in
Package Level 2 Height	501.65 mm 19.75 in
Package Level 2 Depth / Length	292.1 mm 11.5 in
Package Level 3 Units	175000 EA
Package Level 3 Width	0.025 mm 0.001 in
Package Level 3 Height	0.025 mm 0.001 in
Package Level 3 Depth / Length	0.025 mm 0.001 in

Environmental	
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Technical UL/CSA	
Flammability According	V-2
to UL94	

Additional Information	
Brand / Label	Ty-Rap
Bundle Diameter	0.138 to 1.77 in
Calan	3.5 to 45 mm
Color	Natural
Effective Date	19671129
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Product Name	Other /note: See 9903.88.66 and 9903.88. 67.
Product Type	Integrated Mounting Hole
RoHS Date	9AKK107991A8069
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.

TY1435M 3/3

Tensile Strength	50 lb
	222 N
Thickness	0.04 in
	1 mm

Certificates and Declarations	
Data Sheet, Technical	TDS000577
Information	

Classifications	
ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5044 >> Mounted Head Ties

## Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Wire\ Management\ and\ Connectivity \rightarrow Cable\ Ties$ 

