TY200-18-M 1/3



PRODUCT-DETAILS

TY200-18-M

80N NAT CABLE TIE 200MM OEM



General Information	
Extended Product Type	TY200-18-M
Product ID	7TCG054360R0425
EAN	5415022524185
Catalog Description	80N NAT CABLE TIE 200MM OEM
Long Description	"Cable Tie, Natural Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius for Indoor Applications, UL/IEC 62275 Type 2/21 Rated for AH-2 Plenum, Length of 200mm, Width of 2.5mm, Thickness of 1.1mm, Tensile Strength Rating of 80 Newtons, 1000 Pack"

Ordering	
EAN	5415022524185
UPC	786210361970
Country of Origin	China (CN)
Selling Unit of Measure	each

Container Information

TY200-18-M 2/3

Package Level 1 Units	1000 piece
Package Level 1 Width	10.24 in 260 mm
Package Level 1 Height	1.77 in 45 mm
Package Level 1 Depth / Length	12.2 in 310 mm
Package Level 2 Units	10000 piece
Package Level 2 Width	15.75 in 400 mm
Package Level 2 Height	4.72 in 120 mm
Package Level 2 Depth / Length	19.69 in 500 mm

Additional Information	
Brand / Label	Ty-Fast
Bundle Diameter	52.5 mm
	2.067 in
Color	Natural
Effective Date	20220125
Lock Type	Plastic Pawl
Product Main Type	CABLE TIES AND ACCESSORIES
Product Name	PLASTIC CABLE TIE
Product Type	General Purpose
Special Functions	"The integrally formed polyamide pawl combines low insertion and high locking strength. The low profile head significantly reduces the potential for snagging during installation. Quick and easy pull through increases productivity, reduces operator fatigue. Tail with finger grip design that helps operator grasp and pull ties snugly. Sure grip tab keeps the tail from popping out while being treated, then holds it it securely for final tightening by hand or tool"
Standards	UL E49405
Tensile Strength	80 N 18 lb
Thickness	1.1 mm 0.043 in

Certificates and Declarations

Data Sheet, Technical	TDS000751
Information	

Classifications		
ETIM 6	EC000046 - Cable tie	
ETIM 7	EC000046 - Cable tie	
ETIM 8	EC000046 - Cable tie	
UNSPSC	39121703	
IDEA Granular Category Code (IGCC)	5034 >> Cable ties	

TY200-18-M 3/3

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Wire\ Management\ and\ Connectivity \rightarrow Cable\ Ties$

