TY225-50X-100 1/3



PRODUCT-DETAILS

## TY225-50X-100 CBL TIE 50LB 9IN UV BLACK NYLON



General Information		
Extended Product Type	TY225-50X-100	
Product ID	7TCG054360R0237	
EAN	5414363061403	
Catalog Description	CBL TIE 50LB 9IN UV BLACK NYLON	
Long Description	Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 105 Degrees Celsius, Weather and Ultraviolet Resistant for Indoor and Outdoor Applications, UL/IEC 62275 Type 2/21S Rated for AH-2 Plenum and as a Flexible Cable and Conduit Support, Length of 228mm, Width of 4.7mm, Thickness of 1.2mm, Tensile Strength Rating of 220 Newtons, 100 Pack	

Ordering	
EAN	5414363061403
UPC	786210698120
Country of Origin	Hungary (HU)
Selling Unit of Measure	each

ь.			
I)ı	me	nsic	าทร

Product Net Width 7.9 mm

TY225-50X-100 2/3

Draduat Nat Danth /		811 in 8 mm
Product Net Depth / Length		3 mm 176 in
Container Information		
Package Level 1 Units	100	piece
Package Level 1 Width		1 in
Package Level 1 Height		5 mm 5 in 7 mm
Package Level 1 Depth / Length		15 in 1 mm
Package Level 2 Units	5000	piece
Package Level 2 Width		0.5 ir 7 mm
Package Level 2 Height		7 11111 14 ir 3 mm
Package Level 2 Depth /		19 ir
Length	483	3 mm
Technical UL/CSA		
Flammability According to UL94		V-2
Additional Information  Brand / Label  Bundle Diameter  Color  Effective Date	5 2.2	-Fas 7 mm 244 ir Black 10515
Lock Type	Plastic	Paw
Material	Nylon/Polyamid	
Product Name	CATAMOUNT FASTENING PRODU	
Product Type Special Functions	General Pur "The integrally formed polyamide pawl combines low insertion and high loc strength. The low profile head significantly reduces the potential for snag during installation. Quick and easy pull through increases productivity, red operator fatigue. Tail with finger grip design that helps operator grasp anc ties snugly. Sure grip tab keeps the tail from popping out while being tres then holds it it securely for final tightening by hand or	king ging uces pull ated,
Standards	UL E4	9405
Tensile Strength	2	222 N 50 lb
Thickness		2 mm 147 in
0.15.1.1	0.0	147 11
Certificates and Declarations  Data Sheet, Technical	TDS00	0751
Information  Declaration of Conformity	9AKK107492A	98/12
- CE	37IN 107432A	
Classifications		
ETIM 6 ETIM 7	EC000046 - Cab EC000046 - Cab	
© 2024 ABB All rights reserved	2024/04/15 Subject to c	hai

TY225-50X-100 3/3

 ETIM 8
 EC000046 - Cable tie

 UNSPSC
 39121703

 WEEE Category
 Product Not in WEEE Scope

 IDEA Granular Category
 5034 >> Cable ties

 Code (IGCC)
 5004 >> Cable ties

## Categories

 $Low\ Voltage\ Products\ \rightarrow\ Installation\ Products\ \rightarrow\ Wire\ Management\ and\ Connectivity\ \rightarrow\ Cable\ Ties$ 

