



PRODUCT-DETAILS

TY234M-6
CABLE TIE 18LB 14IN BLUE NYLON



General Information	
Extended Product Type	TY234M-6
Product ID	7TAG009000R0210
EAN	5414363061595
Catalog Description	CABLE TIE 18LB 14IN BLUE NYLON
Long Description	Cable Tie, Blue Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F) for Indoor Applications, UL/EN/CSA62275 Type 2/21 Rated for AH-2 Plenum, Length of 357mm (14.0 Inches), Width of 2.3mm (0.09 Inches), Thickness of 1mm (0.04 Inches), Tensile Strength Rating of 80 Newtons (18 Pounds), Bulk Pack

Ordering	
EAN	5414363061595
UPC	786210272474
Country of Origin	United States (US)
Selling Unit of Measure	each

Dimensions	
------------	--

Product Net Width	0.09 in 2.3 mm
Product Net Depth / Length	14 in 357 mm

Container Information

Package Level 1 Units	1000 EA
Package Level 1 Width	0 mm 0 in
Package Level 1 Height	0 mm 0 in
Package Level 1 Depth / Length	0 mm 0 in
Package Level 2 Units	10000 EA
Package Level 2 Width	209.55 mm 8.25 in
Package Level 2 Height	314.198 mm 12.37 in
Package Level 2 Depth / Length	381 mm 15 in

Environmental

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
-------------	--

Technical UL/CSA

Flammability According to UL94	V-2
--------------------------------	-----

Additional Information

Brand / Label	Ty-Rap
Bundle Diameter	0.06 to 4.02 in 1.5 to 102 mm
Color	Blue
Effective Date	19990428
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Product Name	Other /note: See 9903.88.66 and 9903.88. 67.
Product Type	High Performance
Standards	UL E49405
Tensile Strength	18 lb 80 N
Thickness	0.04 in 1 mm

Certificates and Declarations

Data Sheet, Technical Information	TDS000570
Declaration of Conformity - CE	9AKK107492A9841

Classifications	
ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories
Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

