
TY24MX-RW 1/3



PRODUCT-DETAILS

TY24MX-RWTY24MX FOR RAILWAY



Ordering	
EAN	5415022180091
UPC	786209699084
Country of Origin	Hungary (HU)
Selling Unit of Measure	each

Dimensions

TY24MX-RW 2/3

Product Net Width	0.14 in
	3.71 mm
Product Net Depth /	5.5 in
Length	139.7 mm

Container Information	·
Package Level 1 Units	1000 piece
Package Level 1 Width	11.39 in 289 mm
Package Level 1 Height	1.57 in 40 mm
Package Level 1 Depth / Length	11.79 in 299 mm
Package Level 2 Units	10000 piece
Package Level 2 Width	11 in 279 mm
Package Level 2 Height	9.03 in 229 mm
Package Level 2 Depth / Length	14.14 in 359 mm

Technical UL/CSA	
Flammability According	V-2
to UL94	

Additional Information	
Brand / Label	Ty-Rap
Bundle Diameter	1.38 in 35 mm
Color	Black
Effective Date	20130729
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Product Name	OTHER ARTICLES OF PLASTIC
Product Type	Railway
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Standards	UL E49405
Tensile Strength	40 lb 178 N

Certificates and Declarations	
Data Sheet, Technical Information	TDS000566

Classifications	
ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie

TY24MX-RW 3/3

ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category	5034 >> Cable ties
Code (IGCC)	

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Wire\ Management\ and\ Connectivity \rightarrow Cable\ Ties$

