
TY24MX 1/3



PRODUCT-DETAILS

TY24MX

CABLE TIE 5.5IN 40LB UV BLACK



Ordering	
E-Number (Finland)	1381509
EAN	5414363062257
UPC	786210826448
Country of Origin	United States (US)
Selling Unit of Measure	each

Dimensions

TY24MX 2/3

Product Net Width	0.14 in
	3.6 mm
Product Net Depth /	5.4 in
Length	137 mm

Container Information	
Package Level 1 Units	1000 EA
Package Level 1 Width	220.98 mm 8.7 in
Package Level 1 Height	68.58 mm 2.7 in
Package Level 1 Depth / Length	256.54 mm 10.1 in
Package Level 2 Units	10000 EA
Package Level 2 Width	276.86 mm 10.9 in
Package Level 2 Height	276.86 mm 10.9 in
Package Level 2 Depth / Length	335,28 mm 13.2 in
Package Level 3 Units	440000 EA
Package Level 3 Width	0.025 mm 0.001 in
Package Level 3 Height	0.025 mm 0.001 in
Package Level 3 Depth / Length	0.025 mm 0.001 in

Environmental	
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Technical UL/CSA	
Flammability According	V-2
to UL94	

Additional Information	
Brand / Label	Ty-Rap
Bundle Diameter	0.08 to 1.38 in 2 to 35 mm
Color	Black
Effective Date	19680112
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Product Name	Other
Product Type	High Performance
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Standards	UL E49405
Tensile Strength	40 lb 178 N

TY24MX 3/3

Thickness 0.04 in 1.0 mm

Certificates and Declarations	
Data Sheet, Technical Information	TDS000566
Declaration of Conformity - CE	9AKK107492A9841

Classifications	
ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Wire\ Management\ and\ Connectivity \rightarrow Cable\ Ties$

