
TY253MX-RW 1/3



PRODUCT-DETAILS

TY253MX-RWTY253MX FOR RAILWAY



rdering	
EAN	5415022180183
UPC	786209716729
Country of Origin	Hungary (HU)
Selling Unit of Measure	each

Dimensions

TY253MX-RW 2/3

Product Net Width	0.19 in 4.9 mm
Product Net Depth / Length	11.6 in 295 mm

Container Information	
Package Level 1 Units	1000 piece
Package Level 1 Width	11 in 279 mm
Package Level 1 Height	3.14 in 80 mm
Package Level 1 Depth / Length	19.65 in 499 mm
Package Level 2 Units	5000 piece
Package Level 2 Width	10.21 in 259 mm
Package Level 2 Height	14.14 in 359 mm
Package Level 2 Depth / Length	19.65 in 499 mm

Technical UL/CSA	
Flammability According	V-2
to UL94	

Additional Information	
Brand / Label	Ty-Rap
Bundle Diameter	0.12 to 3.07 in 3 to 78 mm
Color	Black
Effective Date	20130730
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Product Name	OTHER ARTICLES OF PLASTIC
Product Type	Railway
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Standards	UL E49405
Tensile Strength	50 lb 222 N
Thickness	0.05 in 1.3 mm

Certificates and Declarations Data Sheet, Technical TDS000518 Information

Classifications

TY253MX-RW 3/3

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Wire\ Management\ and\ Connectivity \rightarrow Cable\ Ties$

