TY25M-2 1/3



PRODUCT-DETAILS

TY25M-2 CABLE TIE 50LB 7IN RED NYLON



General Information	
Extended Product Type	TY25M-2
Product ID	7TAG009270R0011
EAN	5414363062516
Catalog Description	CABLE TIE 50LB 7IN RED NYLON
Long Description	High Performance Cable Tie for Indoor applications, Red Color Nylon 6.6, Length of 186mm (7.3 Inches) for Bundle Diameter up to 48mm (1.89 Inches), Width of 4.9mm (0.19 Inches), Tensile Strength Rating of 222 Newtons (50 Pounds), Operating Temperature of -60 Degrees Celsius (-76 F) to 85 Degrees Celsius (185 F), UL/EN/CSA62275 Type 2/21S Rated for AH-2 Plenum and as a Flexible Cable and Conduit Support, Military Specified (MIL -SPEC MS3367-1-2), Bulk Pack

Ordering	
E-Number (Finland)	1381483
EAN	5414363062516
UPC	786210844855
Country of Origin	United States (US)
Selling Unit of Measure	each

TY25M-2 2/3

Dimensions	
Product Net Width	0.19 in 4.9 mm
Product Net Depth / Length	7.2 in <u>183 mm</u>

Container Information	
Package Level 1 Units	1000 EA
Package Level 1 Width	0 mm 0 in
Package Level 1 Height	0 mm 0 in
Package Level 1 Depth / Length	0 mm 0 in
Package Level 2 Units	10000 EA
Package Level 2 Width	340.36 mm 13.4 in
Package Level 2 Height	256.54 mm 10.1 in
Package Level 2 Depth / Length	535.94 mm 21.1 in
Package Level 3 Units	350000 EA
Package Level 3 Width	0.025 mm 0.001 in
Package Level 3 Height	0.025 mm 0.001 in
Package Level 3 Depth / Length	0.025 mm 0.001 in

Technical UL/CSA	
Flammability According to UL94	V-2

Additional Information	
Brand / Label	Ту-Rар
Bundle Diameter	0.12 to 1.89 in 3 to 48 mm
Color	Red
Effective Date	19680313
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Product Name	Other /note: See 9903.88.66 and 9903.88. 67.
Product Type	High Performance
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Standards	UL E49405
Tensile Strength	50 lb 222 N
Thickness	0.05 in 1.3 mm

Certificates and Declarations	
Data Sheet, Technical Information	TDS000518
Declaration of Conformity	9AKK107492A9841

TY25M-2 3/3

<u>- CE</u>

Classifications	
ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Installation\ Products\ \rightarrow\ Wire\ Management\ and\ Connectivity\ \rightarrow\ Cable\ Ties$

