



PRODUCT-DETAILS

TY25MX-A

CABLE TIE 50LB 7IN BLK NYL HT STBL



General Information	
Extended Product Type	TY25MX-A
Product ID	7TAG009640R0002
EAN	5414363062714
Catalog Description	CABLE TIE 50LB 7IN BLK NYL HT STBL
Long Description	Cable Tie, Heat Stabilized, Ultraviolet Resistant Black Polyamide (Nylon 6.6) for Temperatures up to 105 Degrees Celsius (221 F) for Indoor or Outdoor Applications, UL/EN/CSA62275 Type 2/21S Rated for AH-2 Plenum and as a Flexible Cable and Conduit Support, Length of 186mm (7.31 Inches), Width of 4.77mm (0.188 Inches), Thickness of 1.22mm (0.048 Inches), Tensile Strength Rating of 220 Newtons (50 Pounds)
Ordering	
EAN	5414363062714
UPC	786210816364
Country of Origin	United States (US)
Selling Unit of Measure	each

Dimensions	
Product Net Width	0.188 in 4.7 mm
Product Net Depth / Length	7.31 in 186 mm

Container Information	
Package Level 1 Units	1000 EA
Package Level 1 Width	127 mm 5 in
Package Level 1 Height	25.4 mm 1 in
Package Level 1 Depth / Length	431.8 mm 17 in
Package Level 2 Units	10000 EA
Package Level 2 Width	342.9 mm 13.5 in
Package Level 2 Height	254 mm 10 in
Package Level 2 Depth / Length	520.7 mm 20.5 in
Package Level 3 Units	350000 EA
Package Level 3 Width	0.025 mm 0.001 in
Package Level 3 Height	0.025 mm 0.001 in
Package Level 3 Depth / Length	0.025 mm 0.001 in

Environmental	
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Technical UL/CSA	
Flammability According to UL94	V-2

Additional Information	
Brand / Label	Ty-Rap
Bundle Diameter	0.24 to 1.89 in 6.2 to 48 mm
Color	Black
Effective Date	20020129
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Product Name	Other /note: See 9903.88.66 and 9903.88. 67.
Product Type	Heat-Stabilized
RoHS Date	9AKK108466A3874
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.

Standards	UL E49405
Tensile Strength	49.9 lb 222 N
Thickness	0.05 in 1.2 mm

Certificates and Declarations

Data Sheet, Technical Information	TDS000494
-----------------------------------	-----------

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

