
TY25MX-RW 1/3



PRODUCT-DETAILS

TY25MX-RWTY25MX FOR RAILWAY



Ordering	
EAN	5415022180176
UPC	786209716705
Country of Origin	Hungary (HU)
Selling Unit of Measure	each

Dimensions

2/3 TY25MX-RW

Product Net Width	0.18 in
	4.6 mm
Product Net Depth /	7.2 in
Length	183 mm

Container Information	
Package Level 1 Units	1000 piece
Package Level 1 Width	10.21 in 259 mm
Package Level 1 Height	1.96 in 50 mm
Package Level 1 Depth / Length	14.14 in 359 mm
Package Level 2 Units	10000 piece
Package Level 2 Width	14.7 in 373 mm
Package Level 2 Height	9.5 in 241 mm
Package Level 2 Depth / Length	21.2 in 538 mm

Technical UL/CSA	
Flammability According	V-2
to UL94	

Additional Information	
Brand / Label	Ty-Rap
Bundle Diameter	0.12 to 1.89 in 3 to 48 mm
Color	Black
Effective Date	20130730
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Product Name	OTHER ARTICLES OF PLASTIC
Product Type	High Performance
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Tensile Strength	50 lb
	222 N
Thickness	0.04 in
	1.1 mm

Certificates and Declarations	
Data Sheet, Technical Information	TDS000518

Classifications	
ETIM 6	EC000046 - Cable tie

TY25MX-RW 3/3

ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category	5034 >> Cable ties

Categories

 $\textbf{Low Voltage Products and Systems} \rightarrow \textbf{Installation Products} \rightarrow \textbf{Wire Management and Connectivity} \rightarrow \textbf{Cable Ties}$