TY26M-2 1/3



PRODUCT-DETAILS

TY26M-2CABLE TIE 40LB 11IN RED NYLON



General Information	
Extended Product Type	TY26M-2
Product ID	7TAG009160R0025
EAN	5414363062806
Catalog Description	CABLE TIE 40LB 11IN RED NYLON
Long Description	Cable Tie, Red Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F) for Indoor Applications, UL/EN/CSA62275 Type 2/21 Rated for AH-2 Plenum, Length of 277mm (10.9 Inches), Width of 3.6mm (0.14 Inch), Thickness of 1mm (0.04 Inch), Tensile Strength Rating of 134 Newtons (30 Pounds), Bulk Pack

Ordering	
EAN	5414363062806
UPC	786210844947
Country of Origin	United States (US)
Selling Unit of Measure	each

Dimensions

TY26M-2 2/3

Product Net Width	0.14 in
	3.6 mm
Product Net Depth /	10.9 in
Length	277 mm

Container Information	
Package Level 1 Units	1000 EA
Package Level 1 Width	0 mm 0 in
Package Level 1 Height	0 mm 0 in
Package Level 1 Depth / Length	0 mm 0 in
Package Level 2 Units	10000 EA
Package Level 2 Width	355.6 mm 14 in
Package Level 2 Height	246.38 mm 9.7 in
Package Level 2 Depth / Length	533.4 mm 21 in

Technical UL/CSA	
Flammability According	V-2
to UL94	

Additional Information		
Brand / Label	Ty-Rap	
Bundle Diameter	0.08 to 2.99 in 2 to 76 mm	
Color	Red	
Effective Date	19921209	
Lock Type	Stainless Steel Barb	
Material	Nylon/Polyamide 6.6	
Product Name	Other	
Product Type	High Performance	
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.	
Standards	UL E49405	
Tensile Strength	30 lb	
	134 N	
Thickness	0.04 in	
	1.0 mm	

Certificates and Declarations	
Data Sheet, Technical Information	TDS000566
Declaration of Conformity - CE	9AKK107492A9841

TY26M-2 3/3

Classifications	
ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Wire\ Management\ and\ Connectivity \rightarrow Cable\ Ties$

