



PRODUCT-DETAILS

# TY26MX-RW

## TY26MX FOR RAILWAY



General Information	
Extended Product Type	TY26MX-RW
Product ID	7TCG009120R0006
EAN	5415022180114
Catalog Description	TY26MX FOR RAILWAY
Long Description	Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 105 Degrees Celsius (221 F), Weather and Ultraviolet Resistant for Exterior Applications, Length of 277mm (10.9 Inches), Width of 3.6mm (0.142 Inch), Tensile Strength Rating of 130 Newtons (30 Pounds), Bulk Pack

Ordering	
EAN	5415022180114
UPC	786209699121
Country of Origin	Hungary (HU)
Selling Unit of Measure	each

Dimensions	
------------	--

Product Net Width	0.14 in 3.6 mm
Product Net Depth / Length	11.1 in 282 mm

Container Information

Package Level 1 Units	1000 piece
Package Level 1 Width	12.57 in 319 mm
Package Level 1 Height	1.57 in 40 mm
Package Level 1 Depth / Length	13.36 in 339 mm
Package Level 2 Units	10000 piece
Package Level 2 Width	10.21 in 259 mm
Package Level 2 Height	14.14 in 359 mm
Package Level 2 Depth / Length	19.65 in 499 mm

Technical UL/CSA

Flammability According to UL94	V-2
-----------------------------------	-----

Additional Information

Brand / Label	Ty-Rap
Bundle Diameter	3 in 76.2 mm
Color	Black
Effective Date	20130730
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Product Name	OTHER ARTICLES OF PLASTIC
Product Type	Railway
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Standards	UL E49405
Tensile Strength	30 lb 130 N

Certificates and Declarations

Data Sheet, Technical Information	TY26MX-RW
--------------------------------------	-----------

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie

ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

