



PRODUCT-DETAILS

TY272MX-RW
CABLE TIE RAILWAY UVBLK 8IN 120LB



General Information	
Extended Product Type	TY272MX-RW
Product ID	7TAG009330R0008
EAN	5415022181098
Catalog Description	CABLE TIE RAILWAY UVBLK 8IN 120LB
Long Description	Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F) for Railway, Weather and Ultraviolet Resistant, Length of 203mm (8.0 Inches), Minimum Bundle Diameter 6mm (0.24 Inch), Maximum Bundle Diameter 51mm (2.01 Inches), Tensile Strength Rating of 540 Newtons (120 Pounds)

Ordering	
EAN	5415022181098
UPC	786209325419
Country of Origin	United States (US)
Selling Unit of Measure	each

Dimensions	
Product Net Depth / Length	8 in 203 mm

Container Information	
Package Level 1 Units	500 EA
Package Level 1 Width	355.6 mm 14 in
Package Level 1 Height	25.4 mm 1 in
Package Level 1 Depth / Length	381 mm 15 in
Package Level 2 Units	5000 EA
Package Level 2 Width	251.46 mm 9.9 in
Package Level 2 Height	147.32 mm 5.8 in
Package Level 2 Depth / Length	391.16 mm 15.4 in

Technical UL/CSA	
Flammability According to UL94	V-2

Additional Information	
Brand / Label	Ty-Rap
Bundle Diameter	0.19 to 2.01 in 4.8 to 51 mm
Color	Black
Effective Date	20121121
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Product Name	Other /note: See 9903.88.66 and 9903.88. 67.
Product Type	Railway
Standards	UL E49405
Tensile Strength	120 lb 540 N

Certificates and Declarations	
Data Sheet, Technical Information	TDS000487
Declaration of Conformity - CE	9AKK107492A9841

Classifications	
ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

[Low Voltage Products and Systems](#) → [Installation Products](#) → [Wire Management and Connectivity](#) → [Cable Ties](#)

