
TY277MX 1/3



PRODUCT-DETAILS

# **TY277MX**

# CABLE TIE 120LB 24.3IN UV BLACK NYL



rdering	
EAN	5414363063230
UPC	786210870847
Country of Origin	United States (US)
Selling Unit of Measure	each

#### **Dimensions**

TY277MX 2/3

Product Net Width	0.27 in 6.9 mm
Product Net Depth / Length	24.3 in 617 mm

Container Information	
Package Level 1 Units	500 EA
Package Level 1 Width	0 mm 0 in
Package Level 1 Height	0 mm 0 in
Package Level 1 Depth / Length	0 mm 0 in
Package Level 2 Units	500 EA
Package Level 2 Width	203.2 mm 8 in
Package Level 2 Height	203.2 mm 8 in
Package Level 2 Depth / Length	673.1 mm 26.5 in
Package Level 3 Units	24500 EA
Package Level 3 Width	0 mm 0 in
Package Level 3 Height	0 mm 0 in
Package Level 3 Depth / Length	0 mm 0 in

#### **Environmental**

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22. 2019

### Technical UL/CSA

Flammability According V-2 to UL94

#### **Additional Information**

Brand / Label	Ty-Rap
Bundle Diameter	Max 6.97 in
	Max 177 mm
Color	Black
Effective Date	19900615
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Product Name	Other /note: See 9903.88.66 and 9903.88. 67.
Product Type	High Performance
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and
	easier to pull through bulkheads. Non-magnetic stainless steel locking
	device insures both maximum strength and the right tightness every time.
Standards	UL E49405
Tensile Strength	120 lb
	534 N

TY277MX 3/3

Thickness 0.06 in 1.5 mm

Certificates and Declarations		
Data Sheet, Technical Information	TDS000487	
Declaration of Conformity - CE	9AKK107492A9841	

Classifications	
ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

## Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Wire\ Management\ and\ Connectivity \rightarrow Cable\ Ties$ 

