



PRODUCT-DETAILS

TY27M-3
CABLE TIE 120LB 13IN ORANGE NYLON



General Information	
Extended Product Type	TY27M-3
Product ID	7TAG009370R0024
EAN	5414363063285
Catalog Description	CABLE TIE 120LB 13IN ORANGE NYLON
Long Description	High Performance Cable Tie, Orange Color Nylon 6.6, Length of 343mm (13.5 Inches) for Bundle Diameter up to 102mm (4 Inches), Width of 6.9mm (0.27 Inch), Tensile Strength Rating of 534 Newtons (120 Pounds), Operating Temperature of -20 Degrees Celsius (-4 F) to 85 Degrees Celsius (185 F)

Ordering	
EAN	5414363063285
UPC	786210845012
Country of Origin	United States (US)
Selling Unit of Measure	each

Dimensions	
Product Net Width	0.27 in 6.9 mm

Product Net Depth /	13.5 in
Length	343 mm

Container Information

Package Level 1 Units	500 EA
Package Level 1 Width	355.6 mm 14 in
Package Level 1 Height	0 mm 0 in
Package Level 1 Depth /	558.8 mm
Length	22 in
Package Level 2 Units	1000 EA
Package Level 2 Width	355.6 mm 14 in
Package Level 2 Height	241.3 mm 9.5 in
Package Level 2 Depth /	558.8 mm
Length	22 in

Technical UL/CSA

Flammability According to	V-2
UL94	

Additional Information

Brand / Label	Ty-Rap
Bundle Diameter	Max 4.02 in Max 102 mm
Color	Orange
Effective Date	19670831
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Product Name	Other /note: See 9903.88.66 and 9903.88. 67.
Product Type	High Performance
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Standards	UL E49405
Tensile Strength	120 lb 534 N
Thickness	0.06 in 1.5 mm

Certificates and Declarations

Data Sheet, Technical	TDS000487
Information	
Declaration of Conformity	9AKK107492A9841
- CE	

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

