TY28MX-RW 1/3



PRODUCT-DETAILS

TY28MX-RW TY28MX FOR RAILWAY

General Information	
Extended Product Type	TY28MX-RW
Product ID	7TCG009210R0086
EAN	5415022180206
Catalog Description	TY28MX FOR RAILWAY
Long Description	Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 105 Degrees Celsius (221 F), Weather and Ultraviolet Resistant for Exterior Applications, Length of 361mm (14.2 Inches), Width of 4.8mm (0.19 Inches), Tensile Strength Rating of 50 Newtons (222 Pounds), 1000 Bulk Pack

Ordering	
EAN	5415022180206
UPC	786209717054
Country of Origin	Hungary (HU)
Selling Unit of Measure	each

Dimensions	
Product Net Width	0.19 in 4.9 mm

TY28MX-RW 2/3

Product Net Depth /	14.2 in
l ength	361 mm

Container Information	
Package Level 1 Units	1000 piece
Package Level 1 Width	13.75 in 349 mm
Package Level 1 Height	1.96 in 50 mm
Package Level 1 Depth / Length	19.65 in 499 mm
Package Level 2 Units	5000 piece
Package Level 2 Width	10.21 in 259 mm
Package Level 2 Height	14.14 in 359 mm
Package Level 2 Depth / Length	19.65 in 499 mm

Technical UL/CSA Flammability According to UL94

Additional Information	
Brand / Label	Ту-Rар
Bundle Diameter	0.12 to 4.02 in 3 to 102 mm
Color	Black
Effective Date	20130730
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Product Name	OTHER ARTICLES OF PLASTIC
Product Type	High Performance
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Tensile Strength	50 lb 222 N
Thickness	0.05 in 1.3 mm

Certificates and Declarations Data Sheet, Technical Information TDS000518

Classifications	
ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

V-2

TY28MX-RW 3/3

Categories

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Installation\ Products\ \rightarrow\ Wire\ Management\ and\ Connectivity\ \rightarrow\ Cable\ Ties$

