TY29M-2 1/3



PRODUCT-DETAILS

## **TY29M-2**

## **CABLE TIE 120LB 30IN RED NYLON**



General Information	
Extended Product Type	TY29M-2
Product ID	7TAG009370R0032
EAN	5414363075301
Catalog Description	CABLE TIE 120LB 30IN RED NYLON
Long Description	High Performance Cable Tie, Red Color Nylon 6.6, Length of 770mm (30.3 Inches) for Bundle Diameter up to 229mm (9.02 Inches), Width of 6.9mm (0.27 Inch), Tensile Strength Rating of 534 Newtons (120 Pounds), Operating Temperature of -60 Degrees Celsius (-76 F) to 85 Degrees Celsius (185 F)

Ordering	
EAN	5414363075301
UPC	786210845135
Country of Origin	Hungary (HU)
Selling Unit of Measure	each

## **Dimensions**

TY29M-2 2/3

Product Net Depth /	30.3 in
Length	770 mm

Container Information	
Package Level 1 Units	500 EA
Package Level 1 Width	165.1 mm 6.5 in
Package Level 1 Height	184.15 mm 7.25 in
Package Level 1 Depth / Length	822.452 mm 32.38 in
Package Level 2 Units	24500 EA
Package Level 2 Width	0 mm 0 in
Package Level 2 Height	0 mm 0 in
Package Level 2 Depth / Length	0 mm 0 in

Technical UL/CSA	
Flammability According	V-2
to UL94	

Additional Information	
Brand / Label	Ty-Rap
Bundle Diameter	Max 9.02 in Max 229 mm
Color	Red
Effective Date	19700304
Lock Type	Stainless Steel Barb
Product Name	HTS expired or not a valid HTS Number for Canada
Product Type	High Performance
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Standards	UL E49405
Tensile Strength	120 lb 534 N
Thickness	0.06 in 1.5 mm

Certificates and Declarations		
Data Sheet, Technical Information	TDS000487	
Declaration of Conformity - CE	9AKK107492A9841	

Classifications	
ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie

TY29M-2 3/3

ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category	5034 >> Cable ties
Code (IGCC)	

## Categories

 $\textbf{Low Voltage Products and Systems} \rightarrow \textbf{Installation Products} \rightarrow \textbf{Wire Management and Connectivity} \rightarrow \textbf{Cable Ties}$ 

