TY29M 1/3



PRODUCT-DETAILS

TY29M

CABLE TIE 120LB 30IN NATURAL NYLON



General Information	
Extended Product Type	TY29M
Product ID	7TAG009330R0012
EAN	5414363063698
Catalog Description	CABLE TIE 120LB 30IN NATURAL NYLON
Long Description	High Performance Cable Tie, Natural Color Nylon 6.6, Length of 770mm (30.3 Inches) for Bundle Diameter up to 229mm (9.02 Inches), Width of 6.9mm (0.27 Inch), Tensile Strength Rating of 534 Newtons (120 Pounds), Operating Temperature of -60 Degrees Celsius (-76 F) to 85 Degrees Celsius (185 F)

Ordering	
E-Number (Finland)	1370027
EAN	5414363063698
UPC	786210830674
Country of Origin	United States (US)
Selling Unit of Measure	each

TY29M 2/3

Dimensions	
Product Net Width	0.27 in
	6.9 mm
Product Net Depth /	30.3 in
Length	770 mm

Container Information	
Package Level 1 Units	500 EA
Package Level 1 Width	185.42 mm 7.3 in
Package Level 1 Height	152.4 mm 6 in
Package Level 1 Depth / Length	815.34 mm 32.1 in
Package Level 2 Units	24500 EA
Package Level 2 Width	0 mm 0 in
Package Level 2 Height	0 mm 0 in
Package Level 2 Depth / Length	0 mm 0 in

Technical UL/CSA	
Flammability According	V-2
to UL94	

Additional Information	
Brand / Label	Ty-Rap
Bundle Diameter	Max 9.02 in Max 229 mm
Color	Natural
Effective Date	19680502
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Product Name	Other
Product Type	High Performance
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Standards	UL E49405
Tensile Strength	120 lb 534 N
Thickness	0.06 in 1.5 mm

Certificates and Declarations	
Data Sheet, Technical Information	TDS000487
Declaration of	9AKK107492A9841
Conformity - CE	

TY29M 3/3

Classifications	
ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

 $\textbf{Low Voltage Products and Systems} \rightarrow \textbf{Installation Products} \rightarrow \textbf{Wire Management and Connectivity} \rightarrow \textbf{Cable Ties}$

