TY300-40X 1/3



PRODUCT-DETAILS

TY300-40X CBL TIE 40LB 11IN UV BLACK NYLON



General Information	
Extended Product Type	TY300-40X
Product ID	7TCG054360R0256
EAN	5414363063988
Catalog Description	CBL TIE 40LB 11IN UV BLACK NYLON
Long Description	Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 105 Degrees Celsius, Weather and Ultraviolet Resistant for Indoor and Outdoor Applications, UL/IEC 62275 Type 2/21S Rated for AH-2 Plenum and as a Flexible Cable and Conduit Support, Length of 290mm, Width of 3.6mm, Thickness of 1.2mm, Tensile Strength Rating of 180 Newtons,

Ordering	
EAN	5414363063988
UPC	786210898582
Country of Origin	Hungary (HU)
Selling Unit of Measure	each

ь.			
1)ı	me	nsid	าทร

TY300-40X 2/3

Product Net Depth / Length	290 mr 11.417 i
Lengui	11.417
Container Information	
	1000 piec
Package Level 1 Units Package Level 2 Units	1000 piec
Package Level 2 Width	13i
ackage Level 2 Width	330 m
Package Level 2 Height	13.5 343 m
Package Level 2 Depth / Length	18 i 457 mi
Technical UL/CSA	
E1 1.00 A 0 1	V-
Flammability According to UL94	
<u>UL94</u>	
Additional Information	Ty-Fa:
Additional Information Brand / Label	102 mi
Additional Information Brand / Label Bundle Diameter	102 m 4.016
Additional Information Brand / Label Bundle Diameter Color	102 mi 4.016 i Blac
Additional Information Brand / Label Bundle Diameter Color Effective Date	102 mi 4.016 i Blac 1992103
Additional Information Brand / Label Bundle Diameter Color Effective Date Lock Type	102 m 4.016 Blac 1992103 Plastic Pav
Additional Information Brand / Label Bundle Diameter Color Effective Date Lock Type Material	102 m 4.016 i Blac 1992103 Plastic Pav Nylon/Polyamide 6.
Additional Information Brand / Label Bundle Diameter Color Effective Date Lock Type Material Product Name Product Type	102 m 4.016 Blac 1992103 Plastic Par Nylon/Polyamide 6 CABLE TIE General Purpos
	Ty-Fast 102 mr 4.016 i Blact 1992103 Plastic Pav Nylon/Polyamide 6. CABLE TIE General Purpos "The integrally formed polyamide pawl combines low insertion and high locking strength. The low profile head significantly reduces the potential for snagging during installation. Quick and easy pull through increases productivity, reduces operator fatigue. Tail with finger grip design that helps operator grasp and pul ties snugly. Sure grip tab keeps the tail from popping out while being treated then holds it it securely for final tightening by hand or too
Additional Information Brand / Label Bundle Diameter Color Effective Date Lock Type Material Product Name Product Type Special Functions	102 m 4.016 Blac 1992103 Plastic Par Nylon/Polyamide 6 CABLE TIE General Purpos "The integrally formed polyamide pawl combines low insertion and high lockin strength. The low profile head significantly reduces the potential for snaggin during installation. Quick and easy pull through increases productivity, reduce operator fatigue. Tail with finger grip design that helps operator grasp and puties snugly. Sure grip tab keeps the tail from popping out while being treated then holds it it securely for final tightening by hand or too
Additional Information Brand / Label Bundle Diameter Color Effective Date Lock Type Material Product Name Product Type	102 mi 4.016 Blac 1992103 Plastic Pav Nylon/Polyamide 6 CABLE TIE General Purpos "The integrally formed polyamide pawl combines low insertion and high locking strength. The low profile head significantly reduces the potential for snagging during installation. Quick and easy pull through increases productivity, reduce operator fatigue. Tail with finger grip design that helps operator grasp and puties snugly. Sure grip tab keeps the tail from popping out while being treated.

Certificates and Declarations	
Data Sheet, Technical Information	TDS000751
Declaration of Conformity	9AKK107492A9843

Classifications	
ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

0.24 in

TY300-40X 3/3

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Wire\ Management\ and\ Connectivity \rightarrow Cable\ Ties$

