



PRODUCT-DETAILS

TY33M
CABLE TIE 18LB 4IN NAT NYL MTG HOLE



General Information	
Extended Product Type	TY33M
Product ID	7TAG009520R0046
EAN	5414363064190
Catalog Description	CABLE TIE 18LB 4IN NAT NYL MTG HOLE
Long Description	Integrated Mounting Hole Cable Tie, Natural Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F) for Indoor Applications, Length of 91mm (3.6 Inches), Width of 2.5mm (0.1 Inches), Thickness of 1mm (0.04 Inches), Tensile Strength Rating of 80 Newtons (18 pounds), #4 Screw for Mounting. Bulk Pack

Ordering	
EAN	5414363064190
UPC	786210824857
Country of Origin	United States (US)
Selling Unit of Measure	each

Dimensions	
Product Net Width	0.1 in 2.5 mm

Product Net Depth / Length	3.6 in 91 mm
----------------------------	-----------------

Container Information

Package Level 1 Units	1000 EA
Package Level 1 Width	124.46 mm 4.9 in
Package Level 1 Height	91.44 mm 3.6 in
Package Level 1 Depth / Length	208.28 mm 8.2 in
Package Level 2 Units	10000 EA
Package Level 2 Width	256.54 mm 10.1 in
Package Level 2 Height	233.68 mm 9.2 in
Package Level 2 Depth / Length	261.62 mm 10.3 in
Package Level 3 Units	800000 EA
Package Level 3 Width	0.025 mm 0.001 in
Package Level 3 Height	0.025 mm 0.001 in
Package Level 3 Depth / Length	0.025 mm 0.001 in

Environmental

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
-------------	--

Technical UL/CSA

Flammability According to UL 94	V-2
---------------------------------	-----

Additional Information

Brand / Label	Ty-Rap
Bundle Diameter	0.08 to 0.63 in 2 to 16 mm
Color	Natural
Effective Date	19671108
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Product Name	Other /note: See 9903.88.66 and 9903.88. 67.
Product Type	Integrated Mounting Hole
RoHS Date	9AKK107991A8069
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Standards	UL E49405
Tensile Strength	18 lb 80 N
Thickness	0.04 in 1 mm

Certificates and Declarations

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5044 >> Mounted Head Ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

