TY450-120X-L 1/3



PRODUCT-DETAILS

TY450-120X-L550N UV CABLE TIE 450MM DIS



General Information	
Extended Product Type	TY450-120X-L
Product ID	7TCG054410R0026
EAN	5415022524444
Catalog Description	550N UV CABLE TIE 450MM DIS
Long Description	"Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 115 Degrees Celsius, Weather and Ultraviolet Resistant for Indoor and Outdoor Applications, UL/IEC 62275 Type 2/21S Rated for AH-2 Plenum and as a Flexible Cable and Conduit Support, Length of 450mm, Width of 7.5mm, Thickness of 1.5mm, Tensile Strength Rating of 550 Newtons, 50 Pack"

Ordering	
EAN	5415022524444
UPC	786210362410
Country of Origin	China (CN)
Selling Unit of Measure	each

TY450-120X-L 2/3

Container Information	
Package Level 1 Units	50 piece
Package Level 1 Width	5.51 in 140 mm
Package Level 1 Height	1.18 in 30 mm
Package Level 1 Depth / Length	29.92 in 760 mm
Package Level 2 Units	2000 piece
Package Level 2 Width	15.75 in 400 mm
Package Level 2 Height	7.48 in 190 mm
Package Level 2 Depth / Length	21.65 in 550 mm

Additional Information	
Brand / Label	Ty-Fast
Bundle Diameter	130.5 mm 5.138 in
Color	Natura
Effective Date	20220125
Lock Type	Plastic Paw
Product Main Type	CABLE TIES AND ACCESSORIES
Product Name	PLASTIC CABLE TIE
Product Type	General Purpose
Special Functions	"The integrally formed polyamide pawl combines low insertion and high locking strength. The low profile head significantly reduces the potential for snagging during installation. Quick and easy pull through increases productivity, reduces operator fatigue. Tail with finger grip design that helps operator grasp and pull ties snugly. Sure grip tab keeps the tail from popping out while being treated, then holds it it securely for final tightening by hand or tool"
Standards	UL E49405
Tensile Strength	550 N 124 lb
Thickness	1.5 mm 0.059 in

Certificates and Declarations

Data Sheet, Technical	TDS000751
Information	

Classifications	
ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

TY450-120X-L 3/3

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Wire\ Management\ and\ Connectivity \rightarrow Cable\ Ties$

