



PRODUCT-DETAILS

TY5232MXR
CBL TIE 18LB 8IN UV BLACK NYLON



General Information

Extended Product Type	TY5232MXR
Product ID	7TCG009030R0082
EAN	5414363065319
Catalog Description	CBL TIE 18LB 8IN UV BLACK NYLON
Long Description	Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 105 Degrees Celsius (220 F), Weather and Ultraviolet Resistant for Indoor and Outdoor Applications, UL/EN/CSA62275 Type 2/21 Rated for AH-2 Plenum, Length of 202mm (8.0 Inches), Width of 2.3mm (0.09 Inches), Thickness of 1mm (0.04 Inches), Tensile Strength Rating of 80 Newtons (18 Pounds), Euroslot Packaging

Ordering

E-Number (Finland)	1370017
EAN	5414363065319
UPC	786210378534
Country of Origin	Hungary (HU)
Selling Unit of Measure	each

Dimensions

Product Net Width	0.1 in 2.54 mm
Product Net Depth / Length	8 in 202 mm

Container Information

Package Level 1 Units	100 piece
Package Level 2 Units	10000 piece
Package Level 2 Width	10.2 in 259 mm
Package Level 2 Height	13.8 in 351 mm
Package Level 2 Depth / Length	19.7 in 500 mm

Technical UL/CSA

Flammability According to UL94	V-2
-----------------------------------	-----

Additional Information

Brand / Label	Ty-Rap
Bundle Diameter	0.06 to 2.01 in 1.5 to 51 mm
Color	Black
Effective Date	19980621
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Product Name	TY-RAP FASTENING
Product Type	High Performance
RoHS Date	9AKK107991A8361
Tensile Strength	18 lb 80 N
Thickness	0.04 in 1 mm

Certificates and Declarations

Data Sheet, Technical Information	TDS000570
Declaration of Conformity - CE	9AKK107492A9841

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

