TY5272MXR 1/3



PRODUCT-DETAILS

TY5272MXR

CABLE TIE 120LB 9IN UV BLACK NYLON



General Information	
Extended Product Type	TY5272MXR
Product ID	7TCG009460R0103
EAN	5414363065784
Catalog Description	CABLE TIE 120LB 9IN UV BLACK NYLON
Long Description	Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 105 Degrees Celsius (221 F), Weather and Ultraviolet Resistant Polyamide for Indoor or Outdoor Applications, UL/EN/CSA62275 Type 2/21S Rated for AH-2 Plenum and as a Flexible Cable and Conduit Support, Length of 224mm (8.8 Inches), Width of 6.9mm (0.27 Inch), Thickness of 1.5mm (0.06 Inches), Tensile Strength Rating of 540 Newtons (120 Pounds)

Ordering	
EAN	5414363065784
UPC	786210590912
Country of Origin	Hungary (HU)
Selling Unit of Measure	each

2/3 TY5272MXR

Dimensions	
Product Net Width	0.27 in
	7 mm
Product Net Depth /	8.78 in
Length	223 mm

Container Information	
Package Level 1 Units	50 piece
Package Level 2 Units	5000 piece
Package Level 2 Width	8 in 203 mm
Package Level 2 Height	8 in 203 mm
Package Level 2 Depth / Length	11 in 279 mm

V-2

Additional Information	
Brand / Label	Ty-Rap
Color	Black
Effective Date	19980621
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Product Name	TY-RAP FASTENING
Product Type	High Performance
RoHS Date	9AKK107991A8361
Tensile Strength	120 lb 540 N
Thickness	0.06 in 1.65 mm

Certificates and Declarations	
Data Sheet, Technical Information	TDS000487
Declaration of Conformity - CE	9AKK107492A9841

Classifications	
ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

TY5272MXR 3/3

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Wire\ Management\ and\ Connectivity \rightarrow Cable\ Ties$

