



PRODUCT-DETAILS

TY534M  
CBL TIE 40LB 6IN NAT NYL MTG HOLE



General Information

Extended Product Type	TY534M
Product ID	7TAG009520R0064
EAN	5414363066071
Catalog Description	CBL TIE 40LB 6IN NAT NYL MTG HOLE
Long Description	Integrated Mounting Hole Cable Tie, Natural Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F) for Indoor Applications, Length of 152mm (6 Inches), Width of 3.6mm (0.14 Inch), Thickness of 1mm (0.04 Inches), Tensile Strength Rating of 177 Newtons (40 pounds), #8 Screw for Mounting

Ordering

EAN	5414363066071
UPC	786210807003
Country of Origin	United States (US)
Selling Unit of Measure	each

Dimensions

Product Net Width	0.14 in 3.71 mm
-------------------	--------------------

Product Net Depth /	6 in
Length	152 mm

Container Information

Package Level 1 Units	100 EA
Package Level 1 Width	0 mm 0 in
Package Level 1 Height	0 mm 0 in
Package Level 1 Depth / Length	0 mm 0 in
Package Level 2 Units	500 EA
Package Level 2 Width	160.02 mm 6.3 in
Package Level 2 Height	106.68 mm 4.2 in
Package Level 2 Depth / Length	251.46 mm 9.9 in
Package Level 3 Units	363000 EA
Package Level 3 Width	0.025 mm 0.001 in
Package Level 3 Height	0.025 mm 0.001 in
Package Level 3 Depth / Length	0.025 mm 0.001 in

Environmental

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
-------------	--

Technical UL/CSA

Flammability According to UL 94	V-2
------------------------------------	-----

Additional Information

Brand / Label	Ty-Rap
Bundle Diameter	0.08 to 1.14 in 2 to 29 mm
Color	Natural
Effective Date	19680112
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Product Name	Other /note: See 9903.88.66 and 9903.88. 67.
Product Type	Integrated Mounting Hole
RoHS Date	9AKK107991A8069
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Standards	UL E49405
Tensile Strength	40 lb 180 N
Thickness	0.04 in 1 mm

Certificates and Declarations

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
ETIM 8	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5044 >> Mounted Head Ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

